

Application Form for DCASS / CCMS Terminal

То	:	Clearing Operations - Cash & Deriv 30/F, One Exchange Square, 8 Connaught Place, Central, Hong Kong	/ative	es Clearing	Email: Fax: Tel:	286	aringpsd@hkex.com.hk 68 0134 1 6932	
From	n :	(Full Name of HKCC/SEOCH* or both F	-IKCC	: & SEOCH Participant)	*Please	delete	e where appropriate	
D.		•	a Seoch Fanticipant)	ricase	ueieie	е мпете арргорнате		
	Installation			Re-installation			Termination	
	ASS Sectio							
1.	DCASS Ser	ver and/or DCASS Terminal		Number			User ID(s)	
	DCASS Ser	ver(s) + DCASS Terminal(s)						
	DCASS Ter	minal(s)						
	DCASS OA	PI User(s)						
	Details of D	CASS OAPI program:						
	Name:			Version:				
	-	Connectivity Test/Termination:			_ (Subjec	t to c	confirmation by HKEX)	
2.	DCASS Net	work						
	via Cent	tral Gateway	via	Network Gateway				
	use own SDNet Line / HKEX Hosting / Application Service Provider * *Please delete where appropriate Please provide Name of Site (e.g. 01 - 99)							
3. DCASS Server Installation by Vendor at Participant's Cost Note 3								
	By Microwa	re 🗆 By PCC	W - H	HKT				
DC	CASS Installa	ation Address:						
CCN	IS Section							
1.	CCMS Tern	ninal						
	Use Existing	g CCASS Terminal(s)						
*	 Participants within the same group companies who will share the use of the same set of terminals to access CCASS and CCMS should complete and return the "Sharing of CCASS / CCMS Terminal to Access CCASS/ CCMS Form" 							
	□ Install New CCMS Terminal(s)							
	Participant should complete and return the "CCASS / CCMS SDNet Line Service Notification Form for HKSCC / HKCC / SEOCH Participants / HKSCC Designated Banks"							
			(S.V.				
			`					
Authorized Signature(s) (with Company Chop, ONLY applicable if it forms part of your signing instruction (Name of Signatories:			Date					
Contact Person:			Position:					
Phone Number:								
	Email Address:							



Notes for DCASS Installation

A. OAPI Programs

- 1) All DCASS OAPI programs must be certified by HKEX before they are put into production.
- 2) If the DCASS OAPI program is developed by HKEX's authorized vendor, Participants are required to submit the "DCASS OAPI Program Readiness Declaration Form" for first creation of DCASS OAPI user.
- 3) Participants should perform DCASS login test after the installation of DCASS OAPI Programs. Any login test performed outside Clearing House's normal services hours (i.e. 9:00 a.m. to 6:00 p.m.), will be subject to a service charge of HK\$1,000 per day.

B. Participants' NGs

Each NG can accommodate up to 10 applications (DCASS + HKATS) provided there is sufficient bandwidth of SDNet/2. The minimum bandwidth of SDNet/2 for supporting 1 DCASS Server plus 3 DCASS OAPI programs which do not perform any report download function should be 3 Mbps. Please note that Clearing Houses have the absolute discretion to terminate Participant's DCASS connection if the minimum SDNet/2 bandwidth requirement is not being fulfilled.

C. DCASS Servers and DCASS Terminals

- 1) All DCASS Servers must be located in Hong Kong.
- 2) Participants must ensure their related PC's workstations have fulfilled the prerequisite software and hardware requirements before DCASS installation. The requirements are listed in Appendix 2 of the DCASS Terminal User Guide.
- 3) Participants are reminded that they should be responsible to make necessary data backup before allowing the vendors to perform any DCASS installation service. Vendors will not be liable to any data loss during the installation process.
- 4) Participants should perform DCASS login test after the installation of DCASS Server. Any login test performed outside Clearing House's normal services hours (i.e. 9:00 a.m. to 6:00 p.m.) will be subject to a service charge of HK\$1,000 per day.



C. DCASS Servers and DCASS Terminals (Cont'd)

5) Vendor will bill Participants directly for the services they provided. Below is the charging scheme from vendors for Participants' reference only. For the latest charging scheme, please consult the vendor directly.

Microware Limited	DCASS Installation Charge			
Sales Contact	Around HK\$1,500 per PC unit			
Mr Martin Cheung	(DCASS Server + DCASS Terminal)			
Tel: 2565-4536 / 9189-9817 Email: martincheung@microware.com.hk	Around HK\$650 per PC unit (DCASS Terminal)			
Mr Ricky Ma Tel: 2565-4653 / 9722-5083				
Email: rickyma@microware.com.hk				
Ms Haidy Wong Tel:2565-4557 / 9163-6325 Email: haidywong@microware.com.hk				

PCCW - HKT	DCASS Installation Charge				
Sales Contact	Around HK\$2,025 per PC unit (DCASS Server + DCASS Terminal)				
Ms Alice Ma					
Tel: 2883-0292 / 6380 9463 Email: <u>alice.hy.ma@pccw.com</u>	Around HK\$900 per PC unit (DCASS Terminal)				
Mr Alex Kong					
Tel: 2888-3008 / 9020-7037 Email: <u>alex.fh.kong@pccw.com</u>					

D. CCMS Terminals

Each CCMS Terminal should be installed with a smartcard reader for access control purpose. For ordering of smartcard reader, please complete the "Order Form for Smartcard Reader(s)".

Updated June 2018