

Part B Consultation Questions – Pre-opening Session Enhancement

Please indicate your preference by checking the appropriate boxes and provide reasons to support your views. Please reply to the questions below on the proposed change discussed in the Consultation Paper downloadable from the HKEX website at: <http://www.hkex.com.hk/-/media/HKEX-Market/News/Market-Consultations/2016-Present/August-2019-Consultation-Paper-on-Market-Microstructure-Enhancements/Consultation-Paper/cp201908.pdf>

Where there is insufficient space provided for your comments, please attach additional pages.

1. Do you support using the following **auction features** in POS, similar to CAS:
- Randomised auction matching;
 - Allowing at-auction limit orders throughout the session;
 - Allowing short selling orders with a price not lower than the previous closing price; and
 - Enhanced market transparency.

Yes

No

Please give reasons for your view.

Yes. the relevant auction features can further improve price discovery and trading liquidity before the market open.

2. Do you agree that the enhanced POS model should **be applied to all equities and funds only** similar to CAS, with details as follows:
- Including equities (including depositary receipts, investment companies, preference shares and stapled securities) and funds (ETFs and REITs)
 - Excluding debt securities, structured products, leveraged and inverse products, equity warrants and rights.

Yes

No

Please give reasons for your view.

Yes, after its successful rollout in 2016, this can apply to all equities and funds.

3. Do you support applying a two-stage price limit during POS similar to CAS?

Yes

No

Please give reasons for your view.

Yes, it prevents excessive price movement and takes into account price discovery function for fair open.

4. Do you support setting the price limits to be initially $\pm 15\%$ from the previous closing price, and then to within the lowest ask and highest bid prices recorded at the end of order input period?

Yes

No

Please give reasons for your view.

Yes, as mentioned in Q3, price limit setting can have lower price volatility, and $\pm 15\%$ is reasonable range according to historical trading data.

5. Do you support the proposed time periods in the enhanced POS, or would you prefer the alternative model with the No-cancellation period shortened by 2 minutes such that auction matching may occur latest by 9:20am same as today?

Support the proposed time periods

Prefer the alternative model

Not support

Please give reasons for your view.

Prefer the alternative model, it is reasonable if shortened by 2 minutes.

6. Do you support the proposal of **not** matching at-auction order at the previous closing price when an IEP cannot be formed in POS?

Yes

No

Please give reasons for your view.

Yes, significant price change event may occur if using overnight closing price.

7. Do you have any other comments on the POS enhancement proposal?

Yes

No

Please give reasons for your view.

Part C Consultation Questions – Volatility Control Mechanism Enhancement

8. Do you support the proposed expansion of VCM stocks in the securities market to all HSCI constituent stocks to safeguard market from possible disorderliness in trading caused by advances in trading technology?

Yes

No

Please give reasons for your view.

Yes, VCM mechanism runs smoothly in the past 3 years, it is suitable to apply to all HSCI constituent stocks.

9. If you prefer other expansion options, please indicate below:

Alternative Option 1: Expand to include constituents of Hang Seng LargeCap Index only

Alternative Option 2: Expand to further include all constituents of Hang Seng LargeCap and MidCap Indexes only

Alternative Option 3: Expand to all equities but with a higher triggering threshold for the non-HSCI stocks

Others. Please specify : _____

Please give reasons for your view.

10. Do you support the proposed trigger thresholds of 10%, 15%, and 20% for Hang Seng Composite LargeCap, MidCap and SmallCap stocks respectively?

Yes

No

Please give reasons for your view.

Yes, the trigger thresholds settings are reasonable.

11. Do you support the proposal to allow multiple triggers in the same trading session?

Yes

No

Please give reasons for your view.

Yes, it would not increase the number of triggers significantly, and other exchanges also have no limitation on it.

12. Do you have other suggested enhancements or any other comments for VCM in the securities market?

Yes

No

Please give reasons for your view.

13. If your answer to Q12 is "Yes", would you support implementing the three enhancement features proposed first, as they can be implemented relatively quickly, before we move on to review or implement some other more complex features?

Yes

No

Please give reasons for your view.

14. On top of the proposed VCM enhancements, should we also consider a market-level volatility control (such as market-wide circuit breakers) for the Hong Kong market?

Yes

No

Please give reasons for your view.

No, VCM is enough for the cooling off purpose, and it will be less flexibility for investors to make alternative decisions.

15. If your answer to Q14 is “Yes”, what kind of model would be suitable and when should we consider it?

Please give reasons for your view.

Part D Consultation Questions – Implementation Approach and Timeline

16. How much lead time would you need for the proposed POS enhancements?

- Under 3 months;
- 4-6 months;
- 7-12 months
- Others. Please specify : _____

Please give reasons for your view.

Reference past experience in market rehearsal.

17. How much lead time would you need for the proposed VCM enhancements?

- Under 3 months;
- 4-6 months;
- Others. Please specify : _____

Please give reasons for your view.

Reference past experience in market rehearsal.

- End -