

Terminal Operations

FUNCTION NAME: DISABLED USER LISTING

WHEN TO USE:

- For the Delegated Administrator (DA) to print/save the "Disabled User Listing".

AVAILABLE MAINTENANCE FUNCTIONS:

- A. Disabled User Listing
To request for "Disabled User Listing".


AVAILABLE FUNCTION TIME:

- The functions must be performed between 7:00 a.m. and 7:00 p.m. Monday to Friday, and between 7:00 a.m. and 1:00 p.m. Saturday (except holidays).

FUNCTIONAL DESCRIPTIONS:

- The "Disabled User Listing" lists out the disabled user of the Designated Bank.
- The DA can print and/or save the listing.

The access path for Disabled User Listing function is:



Section 7.6
Disabled User Listing

DISABLED USER LISTING – Sample Screen:

The screenshot displays a Microsoft Internet Explorer browser window. The title bar reads "Disabled User Listing - Microsoft Internet Explorer". The address bar shows the URL: "https://www-external.ft2.com/servlet/DMS/OrgAdmin/external/c3_da_listingdu_t.jsp". The main content area contains a text-based report with the following details:

- DMSDA01 B05005
- BROKER 5005 LIMITED TEST PART 80XXXXXX
- SHORT NAME ON USER PROFILE MAINT RPT 80X
- DATE : 09-May-02
- HKEX - CCASS
- DISABLED USER LISTING
- RUN DATE : 09-May-02
- RUN TIME : 12:07:32

| User ID | User Name |
|----------|-----------------------|
| B050010 | UAT A |
| B0500504 | hui mine 2 Retest 235 |
| B0500524 | uat |
| B0500525 | uat II |

TOTAL NUMBER OF RECORDS : 4

*** END OF REPORT ***

The browser's taskbar at the bottom shows several open applications, including Start, Novell, Inbox, Microsoft Office, and the current page. The system clock indicates 12:07 PM.

DESCRIPTION OF FIELDS:

| <u>Field</u> | <u>Description/Format</u> |
|---------------------|--|
| User ID | - the IDs of the disabled user of the Designated Bank. |
| User Name | - the names of the disabled user of the Designated Bank. |