

測試用

客戶配置表樣本 (測試用)

客戶端網絡資料:		
1	Username	<i>MMDHCLINET1</i>
2	IV Server IP Address 1	<i>10.3.110.1/24</i>
3	IV Server IP Address 2	<i>10.4.110.1/24</i>
4	IV Router 1 for Circuit A, WAN IP Address	<i>10.1.118.2/30</i>
5	IV Router 1, LAN IP Address	<i>10.3.110.254/24</i>
6	IV Router 2 for Circuit B, WAN IP Address	<i>10.1.119.2/30</i>
7	IV Router 2, LAN IP Address	<i>10.4.110.254/24</i>
MMDH 網絡資料:		
8	Primary Site Testing MMDH Server A IP Address	<i>10.1.114.1/24</i>
9	Primary Site Testing MMDH Server A TCP Port Number	<i>50001</i>
10	Primary Site Testing MMDH Server B IP Address	<i>10.1.115.1/24</i>
11	Primary Site Testing MMDH Server B TCP Port Number	<i>50001</i>
12	Primary Site Testing Router A IP address for Circuit A	<i>10.1.118.1/30</i>
13	Primary Site Testing Router B IP address for Circuit B	<i>10.1.119.1/30</i>

生產用

客戶配置表樣本 (標準配置)


客戶端網絡資料:		
1	Username	<i>MMDHCLIENT1</i>
2	IV Server IP Address 1	<i>10.3.110.1/24</i>
3	IV Server IP Address 2	<i>10.4.110.1/24</i>
4	IV Router 1 for Circuit A, WAN IP Address	<i>10.1.118.2/30</i>
5	IV Router 1 for Circuit C, WAN IP Address	<i>10.1.120.2/30</i>
6	IV Router 1, LAN IP Address	<i>10.3.110.254/24</i>
7	IV Router 2 for Circuit B, WAN IP Address	<i>10.1.119.2/30</i>
8	IV Router 2, LAN IP Address	<i>10.4.110.254/24</i>
MMDH 網絡資料:		
9	Primary Site MMDH Server A IP Address	<i>10.1.114.1/24</i>
10	Primary Site MMDH Server A TCP Port Number	<i>50001</i>
11	Primary Site MMDH Server B IP Address	<i>10.1.115.1/24</i>
12	Primary Site MMDH Server B TCP Port Number	<i>50001</i>
13	Secondary Site MMDH Server C IP Address	<i>10.1.116.1/24</i>
14	Secondary Site MMDH Server C TCP Port Number	<i>50001</i>
15	Primary Site Router A IP address for Circuit A	<i>10.1.118.1/30</i>
16	Primary Site Router B IP address for Circuit B	<i>10.1.119.1/30</i>
17	Secondary Site Router C IP address for Circuit C	<i>10.1.120.1/30</i>

客戶配置表樣本 (非標準配置)

客戶端網絡資料:		
1	Username	<i>MMDHCLIENT1</i>
2	IV Server IP Address 1	<i>10.3.110.1/24</i>
3	IV Router 1 for Circuit A, WAN IP Address	<i>10.1.118.2/30</i>
4	IV Router 1 for Circuit C, WAN IP Address	<i>10.1.120.2/30</i>
5	IV Router 1, LAN IP Address	<i>10.3.110.254/24</i>
MMDH 網絡資料:		
6	Primary Site MMDH Server A IP Address	<i>10.1.114.1/24</i>
7	Primary Site MMDH Server A TCP Port Number	<i>50001</i>
8	Secondary Site MMDH Server C IP Address	<i>10.1.116.1/24</i>
9	Secondary Site MMDH Server C TCP Port Number	<i>50001</i>
10	Primary Site Router A IP address for Circuit A	<i>10.1.118.1/30</i>
11	Secondary Site Router C IP address for Circuit C	<i>10.1.120.1/30</i>

客戶端網絡資料:		
1	Username	<i>MMDHCLIENT2</i>
2	IV Server IP Address 2	<i>10.4.110.1/24</i>
3	IV Router 2 for Circuit B, WAN IP Address	<i>10.1.119.2/30</i>
4	IV Router 2 for Circuit D, WAN IP Address	<i>10.1.121.2/30</i>
5	IV Router 2, LAN IP Address	<i>10.4.110.254/24</i>
MMDH 網絡資料:		
6	Primary Site MMDH Server B IP Address	<i>10.1.115.1/24</i>
7	Primary Site MMDH Server B TCP Port Number	<i>50001</i>
8	Secondary Site MMDH Server D IP Address	<i>10.1.117.1/24</i>
9	Secondary Site MMDH Server D TCP Port Number	<i>50001</i>
10	Primary Site Router B IP address for Circuit B	<i>10.1.119.1/30</i>
11	Secondary Site Router D IP address for Circuit D	<i>10.1.121.1/30</i>

邏輯網絡圖
測試用




Routing Configuration for IV Servers:

Route add 10.1.114.0 mask 255.255.255.0 10.3.110.254

Route add 10.1.115.0 mask 255.255.255.0 10.4.110.254

生產用

(1) 標準配置



Routing Configuration for IV Servers:

Route add 10.1.114.0 mask 255.255.255.0 10.3.110.254
 Route add 10.1.115.0 mask 255.255.255.0 10.4.110.254
 Route add 10.1.116.0 mask 255.255.255.0 10.3.110.254

Routing Configuration for IV Router 1

*Route 10.1.114.0 255.255.255.0 10.1.118.1
 Route 10.1.116.0 255.255.255.0 10.1.120.1*

Routing Configuration for IV Router 2

Route 10.1.115.0 255.255.255.0 10.1.119.1

生產用
(2) 非標準配置

