

# **INTERFACE SPECIFICATIONS**

HKEX Orion Market Data Platform Mainland Market Data Hub Securities Market & Index Datafeed Products (OMD-C MMDH)

Version:V1.39 18 October 2024 © Copyright 2024 HKEX All Rights Reserved

# **DOCUMENT HISTORY**

Version	Date of Issue	Comments
v1.0	Nov 13, 2012	First Distribution Version – internal date 21st Nov 2012
v1.1	Dec 31, 2012	Revised Edition with the following updates: -Section 3.3.1: Additional notes on heartbeat added -Section 3.4.4: Added 3-byte filler -Section 3.10.1: Additional notes on the short sell field updates -Section 5.5 – Updated diagram -Appendix A: Added 1 new index and more information to the table
v1.2	May 24, 2013	Revised Edition with the following updates: - Section 1.3 – Message Formats column added - Section 3.1 – ASCII clarification added - Section 3.4.2 – Username field Description updated - Section 3.4.2 – Value "7" removed in 2nd bullet point and the table - Section 3.4.4 – Value "4" & "7" removed - Section 3.6.2 – Values column for field 'UnderlyingSecurityWeight' added with a note - Section 3.6.2 – Note (1) clarification added - Section 3.6.2 – Note (1) clarification added - Section 3.8.1 – 3.8.2 – Revise wordings for description of OrderID - Section 3.10.2 – Clarification added in the first paragraph - Section 3.10.2 – Values column of field "Currency Code" added with a note - Section 3.11.1 – Clarification on the second paragraph added - Section 5.7 – Phrase "6 consecutive unsuccessful logon attempts" in paragraph 1 removed - Sections related to Service Unavailable (previously 5.8 and 5.9) removed - Appendix A – Index table adjusted with 2 new indices and more content
v1.3	Aug 1, 2013	Revised Edition with the following updates: - 3.3.1 – Revised wording for description on sending heartbeat message - Section 4.2 – Clarification of order book for emptied books - Appendix A – CES China HK Mainland Index code adjusted
V1.4	Oct 11, 2013	Revised Edition with the following updates: - Section 2.2.2 – Updated system startup time - Section 3.9.3 – Add notes on Nominal Price - Section 3.10.1 – Add notes on trading statistics during auction session - Section 4.2 – Updated snapshot notes for market turnover
V1.5	Nov 28, 2013	Revised Edition with the following updates: - Section 3.9.3 – Updated note on Nominal Price - Section 3.10.2 – Clarification added in the first paragraph - Section 5.1 – Updated hyperlinks of the section numbers for Logon and Logon Response - Section 5.7 – Update note in paragraph 1
V1.5A	Jun 30, 2014	Revised Edition with the following updates: - Appendix A – adding one new indices CES China 280 Index
V1.6	Jul 04, 2014	<ul> <li>Revised Edition with the following updates:</li> <li>Sections 1.1 and 1.4 - Add description and section for Scope of Information</li> <li>Sections 2.1.2 - Add clarifications on Connection Options</li> <li>Section 2.2 - Add notes on the possible test data transmission during non-production hours</li> <li>Section 2.2.2 - Updated the OMD-C MMDH normal startup time from 2:00am to 6:00am</li> <li>Sections 3.12, 3.12.1, 3.12.2 &amp; Appendix A - Add information on new market information (Northbound Daily Quota Balance) via IndexSource "C"</li> </ul>
V1.7	Jul25, 2014	Revised Edition with the following updates: - Sections 3.12.2 –Update the Note for Northbound Daily Quota Balance and add note to the value of IndexVolume field
V1.8	21 Nov 2014	Revised Edition with the following updates: - Appendix A – adding two new indices CES Stock Connect Hong Kong Select 100 Index and CES Shanghai-Hong Kong Stock Connect 300 Index
V1.9	3 Feb 2015	Revised Edition with the following updates: - Section 3.12.1 – Add description for index definition dissemination

		- Section 3.12.2 – Add note to IndexVolume field for Northbound Daily Quota Balance value
V1.10	19 May 2015	Revised Edition with the following updates: - Section 3.10.1 – Update description for Statistics (60) message
V1.10A	12 Aug 2015	Revised Edition with the following updates: - Section 3.8.2 – Typo Correction - Appendix A – Update the index name "CSI HK Mainland Enterprises 50 Index" and add six new HSI indices
V1.11	5 Aug 2015	Revised Edition with the following updates:         Effective Date       Changes         Phrase 1 of       Introduction of Closing Auction Session (CAS) &         VOlatility Control Mechanism (VCM)       -         2016       - Section 1.3 – Add new messages Order Imbalance (56), Reference Price (43), VCM Trigger (23)         VCM on 22 Aug       - Section 3.2 – Add New MsgType for Order Imbalance (56), Reference Price (43), VCM Trigger (23)         2016       - Section 3.6.2 – Introduce two fields "VCM Flag" and "CAS Flag" in Securities Definition         - Section 3.7.1 – New field values for new trading sessions in CAS         - Section 3.9.4 – Revise description of Indicative Equilibrium Price (41) message         - Section 3.9.5 – Add new Reference Price (43) message         - Section 3.9.6 – Add new VCM Trigger (23) message         - Section 3.9.6 – Add new VCM Trigger (23) message         - Section 3.9.6 – Add new VCM Trigger (23) message         - Section 3.9.6 – Add new VCM Trigger (23) message         - Section 3.9.6 – Add new VCM Trigger (23) message         - Section 4.2 – Include Order Imbalance (56), Reference Price (43), VCM Trigger (23) in refresh service
V1.11B	14 Dec 2015	Revised Edition with the following updates:         Effective Date       Changes         Immediate       Clarifications         - Section 3.11.1 – Revise the description for Statistics (60) message to reflect the change effective in mid 2015 that Statistics message will be sent after every trade including off-exchange trades reported during auction session         Phrase 1 of       Other Enhancements         - Section 3.6.2 – Format change to Security Definition (11) message to insert a number of fillers inside the message         - Section 3.6.2 – Add new possible value "O" for others for the data field CallPutFlag in addition to the existing possible values "C" for Call and "P" for Put
V1.12	01 Mar 2016	Revised Edition with the following updates         Effective Date       Changes         Immediate       Clarifications         • Section 3.7.2 – Rename the data field "SecurityTradingStatus" (at Offset#8) to "SuspensionIndicator" and revise its description         18 Apr 2016       Launch of new Index         Appendix A – Add new index "CES Gaming Top 10 Index"         Phrase 1 of CAS on 25 Jul 2016       Section 3.9.5 – Revise description for Reference Price message
V1.13	10 May 2016	Revised Edition with the following updates         Effective Date       Changes         Immediate       Clarifications         • Sections 3.7.1 and 3.9.6 – Revise descriptions for Time fields to align across the document         23 May 2016       Renaming of CES Shanghai-Hong Kong Stock Connect 300 Index         • Appendix A – Rename "CES Shanghai-Hong Kong Stock Connect 300 Index" to "CES Stock Connect 300 Index"

		Povisod Edition w	ith the following updates
		Effective Date	Changes
		Immediate	Clarifications
		Immediate	
			Sections 3.2 and 3.7.1 – Enhance descriptions to clarify Time fields
V1.14	21 Jun 2016	5 Dec 2016	Launch of Shenzhen - Hong Kong Stock Connect
			Section 3.12.2 – Include Northbound Daily Quota Balances of Shenzhen Hong
			Kong Stock Connect
			Appendix A - Add new market information for Northbound Daily Quota Balance
			of Shenzhen-Hong Kong Stock Connect
			th the following updates
		Effective Date	Changes
		Immediate	Clarifications
			Section 3.2 – Enhance descriptions for InternalSeqNum
			Section 3.6.2 – Correct total length of message fields
			• Section 3.12.1 and 3.12.2 – Revise to clarify IndexCode, NetChgPrevDay and
	04.4 0040		NetChgPrevDayPct
V1.15	04 Aug 2016	29 Aug 2016	Launch of new Indices
		207.092010	<ul> <li>Sections 2.2.3 and 2.2.4 – Enhance to clarify descriptions</li> </ul>
			<ul> <li>Sections 2.2.3 and 2.2.4 – Enhance to clarify descriptions</li> <li>Section 3.1.2 – Add CNH</li> </ul>
			Section 3.12.1 – Add new IndexSource
			Section 3.12.2 – Add TR under descriptions of PreviousSesClose
			Appendix A – Add 4 new HKEX and Thomson Reuters co-branded indices
		Revised Edition w	ith the following updates
		Effective Date	Changes
V1.16	24 Aug 2016	29 Aug 2016	Launch of new Indices
			Appendix A – HKEX and Thomson Reuters co-branded indices are listed as
			Third Party Content under the Licence Agreement
		L	
		Revised Edition w	th the following updates
		Effective Date	Changes
		Immediate	Clarifications
		inimediate	Clarifications
			Section 3.10.2 Povice description for Market Turnover message
			Section 3.10.2 – Revise description for Market Turnover message
		Jun 2017	Section 3.10.2 – Revise description for Market Turnover message Launch of Stock Connect Market Feed
		Jun 2017	· · · · · · · · · · · · · · · · · · ·
V1.17	03 Feb 2017	Jun 2017	Launch of Stock Connect Market Feed     Section 1.3 – Include Stock Connect Data in Summary Table
V1.17	03 Feb 2017	Jun 2017	Launch of Stock Connect Market Feed     Section 1.3 – Include Stock Connect Data in Summary Table     Section 1.4 – Include Stock Connect Data in Scope of Information
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover</li> </ul>
V1.17	03 Feb 2017	Jun 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> </ul>
V1.17	03 Feb 2017		<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> </ul>
V1.17	03 Feb 2017	Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> </ul>
		Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> </ul>
V1.17 V1.18	03 Feb 2017 27 Feb 2017	Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> </ul>
		Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> <li>Appendix A – Remove "H11124 – CSI Overseas Mainland Enterprises Index</li> </ul>
		Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 1.4 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> </ul>
		Revised Edition w Effective Date 1 Apr 2017	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 3.2 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> </ul>
		Revised Edition w Effective Date 1 Apr 2017 Revised Edition w	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 3.2 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> <li>Appendix A – Remove "H11124 – CSI Overseas Mainland Enterprises Index (HKD)"</li> </ul>
V1.18	27 Feb 2017	Revised Edition w Effective Date 1 Apr 2017 Revised Edition w Effective Date	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 3.2 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> <li>Appendix A – Remove "H11124 – CSI Overseas Mainland Enterprises Index (HKD)"</li> </ul>
		Revised Edition w Effective Date 1 Apr 2017 Revised Edition w	Launch of Stock Connect Market Feed         • Section 1.3 – Include Stock Connect Data in Summary Table         • Section 3.2 – Include Stock Connect Data in Scope of Information         • Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list         • Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)         • Section 4.2 - Include Stock Connect Data in Refresh Service         th the following updates         Changes         Removal of Index         • Appendix A – Remove "H11124 – CSI Overseas Mainland Enterprises Index (HKD)"         th the following updates         Changes         Clarifications
V1.18	27 Feb 2017	Revised Edition w Effective Date 1 Apr 2017 Revised Edition w Effective Date	<ul> <li>Launch of Stock Connect Market Feed</li> <li>Section 1.3 – Include Stock Connect Data in Summary Table</li> <li>Section 3.2 – Include Stock Connect Data in Scope of Information</li> <li>Section 3.2 – Include Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81) in MsgType list</li> <li>Section 3.13 – Introduce new messages on Stock Connect Data including Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81)</li> <li>Section 4.2 - Include Stock Connect Data in Refresh Service</li> <li>th the following updates</li> <li>Changes</li> <li>Removal of Index</li> <li>Appendix A – Remove "H11124 – CSI Overseas Mainland Enterprises Index (HKD)"</li> </ul>

V1.20	20 Oct 2017	Revised Edition with th	e following updates
		Effective Date	Changes
		30 Oct 2017	<ul> <li>Remove Daily Quota Balance (DQB) from Index</li> <li>Section 3.12.2 – Remove all description related to "CSCSHQ Northbound Daily Quota Balance of Shanghai-Hong Kong Stock Connect" and "CSCSZQ Northbound Daily Quota Balance of Shenzhen-Hong Kong Stock Connect"</li> <li>Appendix A – Remove "CSCSHQ Northbound Daily Quota Balance of Shanghai-Hong Kong Stock Connect" and "CSCSZQ Northbound Daily Quota Balance of Shenzhen-Hong Kong Stock Connect"</li> </ul>
V1.21	9 Mar 2018	Revised Edition with th	
		Effective Date	Changes
		30 April 2018	<ul> <li>OMD-C Reference Data Enrichment :</li> <li>More product attributes are added to Security Definition (11)</li> <li>Section 3.6.2 - Redefine Securities Definition (11) message with the following changes: <ul> <li>a) Replace reserved fillers with new reference data :</li> <li>Product Type;</li> <li>Upper Strike Price;</li> <li>Warrant Type;</li> <li>Call Price;</li> <li>Entitlement; and</li> <li>Number of Warrants per Entitlement</li> </ul> </li> <li>b) Revise description of existing attributes to reflect the enlarged coverage after the enrichment <ul> <li>Conversion Ratio</li> <li>Style</li> </ul> </li> <li>c) Replace obsolete data fields with fillers <ul> <li>Test Security Flag</li> <li>Underlying Security Weight</li> <li>Remove reference to basket warrants</li> </ul> </li> <li>Include more indices in the Index Feed</li> <li>Appendix A – Add Index Code for the following new index/indices: <ul> <li>a) CES Stock Connect Hong Kong Premier 50 Index</li> </ul> </li> <li>Clarifications and housekeeping changes: <ul> <li>Section 3.1.1 – Present Null Values in table format</li> <li>Section 3.1.3 – Remove Section 3.1.3 Decimal Value, related information have been included in Developer Guide</li> <li>Section 3.6.1, 3.6.2, 3.10.2, 3.11.1 – Change all references to "market" to "market segment"</li> <li>Section 3.9.1 – Update reference to Public trade type</li> </ul> </li> </ul>

V1.22	12 Sep 2018	Revised Edition with the following updates		
		Effective Date	Changes	
		Immediate	Clarifications	
			Section 3.1.2 – Revise description for Currency Value	
			Appendix A – Update the note for CSI and CES index data	
		27 Oct 2018	Include more indices in the Index Feed	
			<ul> <li>Appendix A – Add Index Code for the following new indices:</li> </ul>	
			a) Hang Seng Index (Gross Total Return Index)	
			b) Hang Seng Finance Sub-Index (Gross Total Return Index)	
			c) Hang Seng Utilities Sub-Index (Gross Total Return Index)	
			d) Hang Seng Properties Sub-Index (Gross Total Return Index)	
			e) Hang Seng Index Commerce & Industry Sub-Index (Gross Total	
			Return Index)	
			f) Hang Seng China Enterprises Index (Gross Total Return Index)	

		<ul> <li>g) Hang Seng Index (Net Total Return Index)</li> <li>h) Hang Seng Finance Sub-Index (Net Total Return Index)</li> <li>i) Hang Seng Utilities Sub-Index (Net Total Return Index)</li> <li>j) Hang Seng Properties Sub-Index (Net Total Return Index)</li> <li>k) Hang Seng Index Commerce &amp; Industry Sub-Index (Net Total Return Index)</li> <li>l) Hang Seng China Enterprises Index (Net Total Return Index)</li> </ul>
V1.23	7 Nov 2018	Revised Edition with the following updates         Effective Date       Changes         1 Dec 2018       Change of indices in the Index Feed         • Appendix A       Add Index Code for the following new index:         a)       CES HK Biotechnology Index         Remove Index Code for the following index:       b)         CSI Cross-Straits 500 Index
V1.24	21 May 2019	Revised Edition with the following updates         Effective Date       Changes         Immediate       Clarification         • Section 3.10.1 – Update description for Statistics (60) message         24 June 2019       Include more indices in the Index Feed         • Appendix A – Add Index Code for the following new indices:         a)       CES China Semiconductor Index         b)       HKEX CNH Gold Futures – Excess Return Index         c)       HKEX CNH Gold Futures – Total Return Index         d)       HKEX USD Gold Futures – Spot Price Index         e)       HKEX USD Gold Futures – Total Return Index         f)       HKEX USD Gold Futures – Spot Price Index         g)       HKEX USD Gold Futures – Spot Price Index         e)       HKEX USD Gold Futures – Spot Price Index         g)       HKEX USD Gold Futures – Spot Price Index         e)       Section 2.2.3, 2.2.4 – Adjust OMD-C MMDH shutdown time and the index messages transmission time.
V1.25	19 Jun 2019	Evised Edition with the following updates         Effective Date       Changes         Immediate       Introduction of Inline Warrant         • Section 1.4 – Remove the instrument list from this section         • Section 3.7.2 – Additional Product Type – 15 Warrant – Inline Warrant
V1.26	6 Sep 2019	Revised Edition with the following updates         Effective Date       Changes         18 Jan 2020       Change on Password Policy         • Section 2.2.1 – Update detail requirement of Password Policy         • Section 3.4.2 – Update description on Password length         • Section 3.4.3 – Remove value 100 from SessionStatus field
V1.27	31 Oct 2019	Evised Edition with the following updates         Effective Date       Changes         10 Feb 2020       Introduction of New Spread Table Code         Section 3.6.2 – Add Spread Table Code "04"
V1.28	26 Nov 2019	Revised Edition with the following updates         Effective Date       Changes         Immediate       Removal of indices in the Index Feed         • Appendix A - Remove the following indices:       a) 0200900 - Hang Seng Mainland Healthcare Index         b) 0201100 - Hang Seng IT Hardware Index       c) 0201200 - Hang Seng Software & Services Index

V1.29	4 Dec 2019	Revised Edition with the	following updates
	1 200 2010	Effective Date	Changes
		1 Jun 2020	Introduction of New Spread Table Code
		1 0011 2020	Section 3.7.2 – Add Spread Table Code "05"
V1.30	9 Mar 2020	Revised Edition with the	following updates
V1.00	5 10101 2020	Effective Date	Changes
		10 Mar 2020	Change of index code in the Index Feed
		10 Widi 2020	
			Appendix A – Index code change for following index:
			a) CES China Semiconductor Index
V1.31	6 Apr 2020	Revised Edition with the	e following updates
		Effective Date	Changes
		19 Oct 2020	Introduction of POS enhancement
			• Section 3.6.2 – Add new fields POSFlag, POSUpperLimit,
			POSLowerLimit and extra fillers
			Section 3.7.1 – Update TradingSessoinSubID value
			a) Modifiy description of TradingSessionSubID 101
			b) Add TradingSessionSubID 108
			c) Modify field value for all TradingSecStatus values
			opening session
			• Section 3.9.5 – Modify description to add information related to
			POS random matching
			Appendix B – Add section for Reference price, Price band for order
			input, IEP and Order Imbalance information during Pre-Opening
			Session (POS)
V1.31a	1 Jun 2020	Revised Edition with the	a following undates
v1.51a	1 Juli 2020	Effective Date	Changes
		15 Jun 2020	
		15 Juli 2020	Change of index name in the Index Feed
			Appendix A – Index name change for following index:
			a) CES China Semiconductor Index is renamed as CES China
			Semiconductor Chips Index
V1.31b	3 Aug 2020	Revised Edition with the	e following updates
		Effective Date	Changes
		17 Aug 2020	Include more indices in the Index Feed
			<ul> <li>Appendix A – Add Index code for the following new indices:</li> </ul>
			a) 0205000 - HSI ESG Index
			b) 0205100 - HSCELESG Index
			c) 0208300 - Hang Seng TECH Index
V1.32	24 Sep 2020	Revised Edition with the	e following updates
		Effective Date	Changes
		12 Apr 2021	Update on Resilience Model enhancement on OMD-C
			• Section 7 – New session for missing index report and sample file
1/1 20-	E Oct 0000	Deviced Edition with the	a fallowing undetee
V1.32a	5 Oct 2020	Revised Edition with the	
		Effective Date	Changes (POO I I I I I I I I I I I I I I I I I I
		19 Oct 2020	Updates on Introduction of POS enhancement
			Section 3.6.2 – Additional description of message field
			"PreviousClosingPrice" in Security Definition (11) message to support
			Net asset value per unit (NAV) for ETFs and L&I Products on the first
			day of listing
V1.33	20 Apr 2021	Poviced Edition with th	a following undates
V1.55	29 Apr 2021	Revised Edition with the Effective Date	
			Changes
		31 May 2021	Update on Introduction of new fields for Bonds Reference Data and
			change of ETF Product Type in Security Definition (11)
			<ul> <li>Section 3.6.2 – Add new Bonds specific fields: FaceValue,</li> </ul>
			DecimalsInFaceValue, FaceValueCurrency, MaturityDate and
			InvestorType
			Section 3.6.2 – Add new ETF Product Types:
			16 – Trust – Equity ETF;
			10 - 110SL - EQUILY ETF.

		17 – Trust – Fixed Income and Money Market ETF; and 18 – Trust – Commodities ETF Remove ETF Product Type: 5 – Trust – Other ETF
V1.34	19 Nov 2021	Revised Edition with the following updates         Effective Date       Changes         Immediate       Clarification         •       Section 3.6.2 – Clarification on "0" value for ConversionRatio         20 Mar 2023       Update on Increase the Transaction Time Precision         •       Section 3.9.1 – Update trade time precision from second to microsecond for "TradeTime" data field in Trade Ticker (52) message
V1.34a	7 Jan 2022	Revised Edition with the following updates         Effective Date       Changes         Immediate       Update on Introduction of SPAC Shares and SPAC Warrants         •       Section 3.7.2 – Add new Product Types in Security Definition (11) message:         21 – Warrant – SPAC Warrants; and       24 – Equity – SPAC Shares
V1.34b	28 Jan 2022	Revised Edition with the following updates         Effective Date       Changes         21 Mar 2022       Include more index in the Index Feed         •       Appendix A – Add Index Code for the following new index: a)         0215000 - HSI ESG Enhanced Index
V1.34c	30 May 2022	Revised Edition with the following updates         Effective Date       Changes         13 Jun 2022       Remove indices in the Index Feed         •       Appendix A – Remove Index Codes for the following indices:         a)       RXYH - TR/HKEX RXY Global CNH         b)       RXYY - TR/HKEX RXY Global CNY         c)       RXYRH - TR/HKEX RXY Reference CNH         d)       RXYRY - TR/HKEX RXY Reference CNY
V1.35	24 Apr 2023	Revised Edition with the following updates         Effective Date       Changes         Immediate       Housekeeping         •       Sections 1.1, and Appendix A – Remove the wording "HKEX-IS"         •       Sections 2.2.1, 3.4.3 and 5.5 – Revise description
V1.36	15 Aug 2023	Revised Edition with the following updates         Effective Date       Changes         Immediate       Housekeeping         Section 3.9.1 – Remove Note 1 as trade time precision in microsecond is already effective         25 Sep 2023       Remove HKEX Gold Futures Indices         • Sections 2.2.3 and 2.2.4 – Update the shutdown time         • Section 3.12.1 & Appendix A – Remove HKEX Gold Futures Indices         a)       HKGDUER - HKEX USD Gold Futures – Excess Return Index         b)       HKGDUTR - HKEX USD Gold Futures – Total Return Index         c)       HKGDRER - HKEX CNH Gold Futures – Spot Price Index         d)       HKGDRSP - HKEX CNH Gold Futures – Total Return Index         f)       HKGDRSP - HKEX CNH Gold Futures – Spot Price Index
V1.37	12 April 2024	Revised Edition with the following updates         Effective Date       Changes         Upon the implementation of Adjustment to Stock       Update on the adjustment to Stock Connect Data Dissemination       •       Section 3.1.1 – Indicate possible NULL value in Stock Connect Data         •       Section 3.1.1 – Indicate possible NULL value in Stock Connect Data       •       Section 3.13.1 – Further elaboration of the Stock Connect Daily Quota Balance (80) message

		Section 3.13.2 – Further elaboration of Northbound Buy Turnover, Northbound Sell Turnover and Northbound Buy+Sell Turnover in Stock Connect Market Turnover (81) message
V1.38	21 June 2024	Revised Edition with the following updates         Effective Date       Changes         22 Jul 2024       Include more index in the Index Feed         •       Appendix A – Add Index Code for the following new index: CESCPD - CES CRIC Leading Mainland Property Developer Index CESFHY - CES Forecast High Dividend Yield Index
V1.39	18 October 2024	Revised Edition with the following updates         Effective Date       Changes         By June 2025       Introduction of Single Tranche Multiple Counter Arrangement         (Upon the launch of single tranche multiple counter anrangement)       Section 3.6.2 – Add a new field "DomainStmtSecurityCode" in Security Definition (11) message

# CONTENTS

DOCUMEN	NT HISTORY	2
CONTENTS	5	
1. INTE	RODUCTION	13
1.1	Purpose	
1.2	READING GUIDE	
1.3	Summary Table	
1.4	Scope of Information	
2. SYST	TEM OVERVIEW	
2.1	SCOPE	
2.1.1	TCP Protocol	
2.1.2	Connection Options	
2.1.3	Recovery Mechanisms	
2.1.4	Server Disconnection	
2.2	Session Management	
2.2.1	Password Policy	
2.2.2	Start of Day	
2.2.3	Normal Transmission	
2.2.4	End of Day	
2.2.5	Error Recovery	
2.3	Trading Sessions	
2.4	RACE CONDITIONS	
3. MES	SSAGE FORMATS	
3.1	DATA TYPES	
3.1.1	Null Values	
3.1.2	Currency Values	
3.2	Message Header	
3.3	Control Messages	
3.3.1	Heartbeat	
3.4	LOGON	
3.4.1	Send Key (1105)	
3.4.2	Logon (1101)	
3.4.3	Logon Response (1102)	
3.4.4	Logout (1103)	
3.5	Refresh	
3.5.1	Refresh Request (1201)	
3.5.2	Refresh Response (1202)	
3.5.3	Refresh Complete (203)	
3.6	REFERENCE DATA	
3.6.1	Market Definition (10)	
3.6.2	Security Definition (11)	
3.6.3	Liquidity Provider (13)	

3.6.4	Currency Rate (14)	
3.7	Status Data	
3.7.1	Trading Session Status (20)	
3.7.2	Security Status (21)	
3.8	Order Book Data	
3.8.1	Add Odd Lot Order (33)	
3.8.2 3.8.3	Delete Odd Lot Order (34) Aggregate Order Book Update (53)	
3.8.3 3.8.4	Broker Queue (54)	
3.8.5	Order Imbalance (56)	
3.9	Trade And Price Data	
3.9.1	Trade Ticker (52)	
3.9.2	Closing Price (62)	
3.9.3	Nominal Price (40)	
3.9.4 3.9.5	Indicative Equilibrium Price (41) Reference Price (43)	
3.9.6	VCM Trigger (23)	
3.10	Value Added Data	
3.10	Statistics (60)	
3.10.2	Market Turnover (61)	
3.10.3	Yield (44)	43
3.11	News	44
3.11.1	News (22)	44
3.12	INDEX DATA AND MARKET INFORMATION	45
3.12.1	Index Definition (70)	
3.12.2	Index Data (71)	
3.13	STOCK CONNECT DATA	
3.13.1 3.13.2	Stock Connect Daily Quota Balance (80) Stock Connect Market Turnover (81)	
5.15.2		
4. RECO	DVERY	50
4.1	RESTART	50
4.2	Refresh Service	50
5. MES	SAGE SCENARIOS	52
5.1	LOGON (START OF DAY)	
5.2	Restart (Data In Range)	
5.3	Refresh (Data Out Of Range)	53
5.4	PASSWORD CLOSE TO EXPIRY	
5.5	Change Password	55
5.6	Two Logons from Same Client	55
5.7	Account Locked (Intraday)	56
6. AGG	REGATE ORDER BOOK MANAGEMENT	57
7. MISS	ING INDEX REPORT	65
	A - LIST OF INDICES AND MARKET INFORMATION UNDER OMD INDEX	

APPENDIX B – REFERENCE PRICE, PRICE BAND FOR ORDER INPUT, INDICATIVE EQUILIBRIUM PRICE AND ORDER	
IMBALANCE DURING PRE-OPENING SESSION	.68

Contents

# 1. INTRODUCTION

# 1.1 **PURPOSE**

This document specifies the Binary interface of the HKEX Orion Market Data Platform ("OMD") for the MMDH (Mainland Market Data Hub).

This document is the Transmission Specification(s) of the relevant Datafeed(s) under your Market Data Vendor License Agreement or the Market Data End-User License Agreement ("License Agreement"). Please refer to Section 1.2 and the summary table at Section 1.3 and Section 1.4 for the information applicable to the Datafeed(s) under your License Agreement.

HKEX endeavors to ensure the accuracy and reliability of the information provided in this interface specification, but takes no responsibility for any errors or omissions or for any losses arising from decisions, action, or inaction based on this information. The Licensee shall not use such interface specifications for any purpose other than as expressly permitted under the Licence Agreement. No part of this document may be copied, distributed, transmitted, transcribed, stored in a retrieval system, translated into any human or computer language, or disclosed to third parties without written permission.

# **1.2 READING GUIDE**

The chapters following this introduction are:

Chapter 2:	System Overview
Chapter 3:	Message Formats
Chapter 4:	Recovery
Chapter 5:	Message Scenarios
Chapter 6:	Aggregated Order Book Management
Appendix A:	List of Indices under OMD Index

All chapters and appendices except Chapter 3 and Appendix A are applicable to all Datafeeds unless otherwise specified. In Chapter 3, there are indications\* in individual sections/sub-sections for their applicability to individual Datafeeds, and Appendix A is applicable to OMD Index only. The information is also summarised in Section 1.3 Summary Table.

*	Exam	ole
		0.0

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.3.1	•	•

# **1.3 SUMMARY TABLE**

Section	Message Formats	OMD Securities Standard (SS)	OMD Index (Index)
3.1	Data Types		
3.2	Message Header		
3.3	Control Messages		
3.4	Logon		
3.5	Refresh		
3.6	Reference Data		
3.7	Status Data		

3.8.1	Add Odd Lot Order (33)	
3.8.2	Delete Odd Lot Order (34)	
3.8.3	Aggregate Order Book Update (53)	
3.8.4	Broker Queue (54)	
3.8.5	Order Imbalance (56)	
3.9.1	Trade Ticker (52)	
3.9.2	Closing Price (62)	
3.9.3	Nominal Price (40)	
3.9.4	Indicative Equilibrium Price (41)	
3.9.5	Reference Price (43)	
3.9.6	VCM Trigger (23)	
3.10.1	Statistics (60)	
3.10.2	Market Turnover (61)	
3.10.3	Yield (44)	
3.11.1	News (22)	
3.12	Index Data	
3.13	Stock Connect Data	

• The information supplied in the corresponding sub-section applies to the Datafeed(s)

▲ Complimentary service to the Datafeed(s).

#### **Complimentary service**

Odd Lot order information and Stock Connect Market Information will be provided in streaming mode as complementary services to clients subscribing to SS. Please refer to 3.8.1 and 3.8.2 for details on the odd lot order message; and refer to 3.13 for details on Stock Connect Data messages.

## **1.4** SCOPE OF INFORMATION

HKEX Orion Market Data Platform – Securities Market & Index Datafeed Products ("OMD-C") MMDH provides real time trading information of all instruments listed and traded on the securities market, indices and market information to the Licensees.

# 2. SYSTEM OVERVIEW


# 2.1 **S**COPE

Mainland Market Data Hub ("MMDH") is a remote hub of the HKEX Orion Market Data Platform ("OMD") in Mainland China providing market data to local clients.

Data is represented in an efficient binary message format for all instruments listed on the Securities Market. It has been designed for high throughput and low latency.

### 2.1.1 TCP Protocol

In contrast to the OMD central system in Hong Kong which disseminates market real-time data to clients via multicast, MMDH provides real-time market data to clients in Mainland China via TCP.



### 2.1.2 Connection Options

Client may choose one of the following connection options at MMDH:

#### Standard Configuration (with one live feed):

Under the standard configuration, each client is required to have a set of 3 leased lines, two connecting to the Primary Site and one connecting to the Secondary Site, to receive MMDH market data. An optional 4<sup>th</sup> connection can allow clients to connect two lines to the MMDH Secondary Site if desired. It should be noted that whilst 3 connections should be possible only one connection will ever be live at any one time. Multiple logons to MMDH are not permitted.

#### Non-Standard Configuration (with two live feeds):

Each client is required to have a set of 4 leased lines, two connecting to the Primary Site and two connecting to the Secondary Site, to receive MMDH market data. Clients can adopt to receive data transmission concurrently from both links to OMD Primary production system by using two distinct usernames to logon MMDH. OMD will operate the two links separately as if they were two primary links connected to two independent systems. Though clients can receive data concurrently from the two logons, multiple logons with same username is not allowed. Client who will supply OMD feeds to indirectly connected real-time vendors, subject to the Exchange's prior approval, is required to adopt the non-standard configuration with two live feeds.

A configuration document for client's network setup will be provided when the client has established the leased lines to the MMDH sites.

### 2.1.3 Recovery Mechanisms

The system provides two mechanisms for clients to recover possible data loss from disconnections, namely, Restart and Refresh. Please refer to section 4 (Recovery) for an explanation or sections 5.2 and 5.3 for examples.

# 2.1.4 Server Disconnection

In rare situations the MMDH Server may initiate a disconnection which may require clients to re-load all static data for all instruments. Clients should re-establish connection and logon again and then use the 'SessionStatus' field within the Logon Response message to determine appropriate recovery action. See section 3.4.3 (Logon Response) and section 4 (Recovery) for details.

# 2.2 SESSION MANAGEMENT

OMD-C MMDH does not operate on non-trading days of the Hong Kong Securities Market except those days when there are real-time index data calculated and disseminated by the index compiler. HKEX may perform system testing on Saturdays, Sundays or days when OMD-C MMDH is not in operation. Clients should treat data transmitted via OMD-C MMDH on those days as non production data and disregard them.

### 2.2.1 Password Policy

- Client account shall be locked for at least 30 minutes upon 6 consecutive unsuccessful logon attempts
- Client must change their password on the first logon attempt after the password is reset by HKEX Operations team due to whatever reason (e.g. client forgets the old password)
- Passwords will expire after 90 calendar days
- Passwords should meet all the following items:

Item	Requirement	
Length of password	At least 16 characters	
Complexity of password	Must contain a combination of: 1. Upper case letter 2. Lower case letter 3. Number 4. Special character as listed below: Character I Exclamation @ At sign # Number sign (hash) \$ Dollar sign ^ Caret & Ampersand * Asterisk ( Left parenthesis ) Right parenthesis	
Enforce password history	Not the same as any of the last 5 passwords	

### 2.2.2 Start of Day

OMD-C MMDH is normally ready for a new business day at 6:00am. However, the Exchange has the right to adjust the system ready time in the future according to the different trading situations.

After a client has established a TCP connection the first message received will be a SendKey (1105) message with sequence number 1, and then following successful logon the client should expect to receive a Logon Response (1102) message with sequence number 2. On receipt of this message, the client must clear all cached data for all instruments. The static data for all markets, securities, liquidity providers and currency rates is published each day shortly after successful logon.

If a client connects to OMD-C MMDH after the start of business day and the amount of market data missed by the client is too large to be recovered through the Restart recovery mechanism, OMD-C MMDH will return a logon response to indicate they need to refresh.

### 2.2.3 Normal Transmission

Normal message transmission is expected between the time whenever there is any update either in OMD Securities Standard (SS) or OMD Index (Index)\*. Heartbeats are sent regularly when there is no activity – the length of time between

heartbeats being specified in the Logon Response (1102) message. Under normal transmission the "SeqNum" field values in the message headers received (except heartbeats) by clients are consecutive and increasing. Reliable transmission is guaranteed by the TCP/IP protocol and gaps in transmission will not happen as long as the TCP connection is intact.

\* Order and trade message transmission in SS is expected between when the market opens for trading and when the market is closed

### 2.2.4 End of Day

OMD-C MMDH will normally be shut down shortly after 9:00 p.m. thereupon will stop sending messages (including heartbeats). This shutdown time, however, is not rigid and the Exchange has the right to adjust this time according to the different trading situations.

### 2.2.5 Error Recovery

#### 2.2.5.1 System Component Failure

If a system component fails and requires a failover or restart, there will be a short interruption in dissemination of data. When MMDH resumes operation, clients can reconnect based on the last sequence number received and in this way receive all messages during the outage period if those messages are still held in MMDH for Restart recovery or, otherwise, the latest market snapshot from Refresh.

Standard Configuration clients are recommended to attempt connecting in a round robin fashion via the 2 leased lines to MMDH Primary Site. Normally the clients can connect via any of the 2 leased lines to MMDH in the Primary Site unless MMDH failovers to the Secondary Site, by then the clients can connect via the leased line(s) to the MMDH in the Secondary Site.

Similarly, Non-Standard Configuration clients are recommended to connect separately via the 2 leased lines to MMDH Primary Site for the 2 live connections. When MMDH fails over to the Secondary Site, the clients can connect separately via the 2 leased lines to MMDH Secondary Site for the 2 live connections.

#### 2.2.5.2 Disaster Recovery

Disaster Recovery services do exist and clients will be provided with a set of IP addresses for both the MMDH Primary and Secondary sites. The same username and password will apply to both.

Since sequence numbers between the Primary site and the Secondary site are not guaranteed to be the same a Refresh may be required. Clients should specify the 'InternalSeqNum' as 0 during their first Logon to the Secondary site and the MMDH system at Secondary site will respond with Restart recovery required or indicate the need for a Refresh. Any subsequent disconnects should continue to use the last seen number the same as for the MMDH Primary.

# 2.3 TRADING SESSIONS

Normally, trading is conducted in auction trading session(s) and continuous trading session(s) every trading day. However, there are situations where there is only half day trading with fewer trading session(s) (Christmas eve, New Year eve and Chinese New Year eve), or a trading session is suspended due to a typhoon etc. MMDH is not affected by the number of trading sessions and will continue to provide real time data as long as the Exchange's trading system is available.

### 2.4 RACE CONDITIONS

The information supplied in this section does not apply to OMD Index.

Since order, trade and reference data are transmitted to MMDH via separate paths this may lead to a race condition.

As an example the Trading Session Status (20) messages and market activity are decoupled; e.g. for a short time after a TradSesStatus of "Halted" is reported real-time data for that same market may continue to arrive.

# 3. MESSAGE FORMATS

# 3.1 DATA TYPES

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with []

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.1		

The following table lists all the data types used by OMD.

Format	Description		
String	ASCII characters which are left aligned and padded with spaces, unless otherwise specified		
Uint8	8 bit unsigned integer		
Uint16	Little-Endian encoded 16 bit unsigned integer		
Uint32	Little-Endian encoded 32 bit unsigned integer		
Uint64	Little-Endian encoded 64 bit unsigned integer		
Int16	Little-Endian encoded 16 bit signed integer		
Int32	Little-Endian encoded 32 bit signed integer		
Int64	Little-Endian encoded 64 bit signed integer		
Binary	Unicode encoding used for Chinese characters which are left aligned and padded with binary null		

### 3.1.1 Null Values

From time to time certain fields cannot be populated and specific values are used to represent null. This is currently used within Int64 fields of the Index Data (71) message, Stock Connect Daily Quota Balance (80) and Stock Connect Market Turnover (81). It could be used at all Int64 fields.

Data Type	Null Representation	Example of Usage
Int64	0x80000000000000000 (Hex 2's complement) or -9223372036854775808 (Decimal)	HighValue, LowValue of Index Data (71) DailyQuotaBalance of Stock Connect Daily Quota Balance (80) Buy Turnover and Sell Turnover of Stock Connect Market Turnover (81)

# 3.1.2 Currency Values

Please refer to the Third Schedule of Rules of the Exchange in HKEX website for possible ISO-4217 Currency Codes used in OMD-C. Apart from the Currency Codes listed in the aforesaid Schedule, OMD-C will also use the Currency Code listed below:

Currency Code	Currency
CNH	Chinese Renminbi (Offshore)

HKEX may add or delete currency code(s), whenever applicable, in the future.

# **3.2 MESSAGE HEADER**

Section	OMD Securities Standard (SS)	OMD Index (Index)	
3.2			
leader and Da	ta sample layout:		

All messages will begin with the standard TCP Header followed by a variable number of Messages. This is true both for messages disseminated by OMD and client messages sent to the MMDH.

#### **Message Header**

Offset	Field	Format	Len	Description
0	MsgLength	Uint16	2	Size of the message (including the header)
2	Filler	String	2	
4	SeqNum	Uint32	4	Sequence number of the message and is consecutive
8	InternalSeqNum	Uint32	4	Internal MMDH sequence number
12	SendTime	Uint64	8	The number of nanoseconds since midnight Coordinated Universal Time (UTC) of January 1, 1970, precision is provided to the nearest millisecond
Header I	ength		20	

SeqNum starts from 1 for each logon and increases with sequential consecutive sequence numbers.

InternalSeqNum should only be used in the event of intraday disconnection and in this case the last received InternalSeqNum should be provided in the Logon (1101) message – see section 3.4.2 Logon (1101) for details. This field is populated on every message except during refresh – refresh messages do not have an internal sequence number – see section 5.3 for details. InternalSeqNum is incremental but not necessarily consecutive. Client may find gaps in the InternalSeqNum values of consecutive messages.

When sending messages to the MMDH (e.g. Logon (1101) or Refresh Request (1201)), the same message header must also be used by clients. In this event the 'SeqNum' and 'InternalSeqNum' fields within the Message Header need not be populated. Note however the 'InternalSeqNum' field within the Logon message would need to be provided.

The format of each message will vary according to message type. However, regardless of the message type, each message will start with a two-byte message size (MsgSize) followed by a two-byte message type (MsgType). These are described in the following table.

#### Table 1: MsgSize and MsgType Fields

Field	Format	Len	Description
MsgSize	Uint16	2	Message length (including this field)
MsgType	Uint16	2	Type of message.

Field	Format	Len	Description
			The valid values for MsgType are below: Logon (1101) Logon Response (1102)- MMDH Response Logout (1103) SendKey (1105) Refresh Request (1201) Refresh Response (1202) Refresh Complete (203) Market Definition (10) Security Definition (11) Liquidity Provider (13) Currency Rate (14) Trading Session Status (20) Security Status (21) Add Odd Lot Order (34) Delete Odd Lot Order (34) Aggregate Order Book Update (53) Broker Queue (54) Order Imbalance (56) Trade Ticker (52) Closing Price (42) Nominal Price (40) Indicative Equilibrium Price (41) Reference Price (43) VCM Trigger (23) Statistics (60) Market Turnover (61) Yield (44) News (22) Index Definition (70) Index Data (71) Stock Connect Daily Quota Balance (80) Stock Connect Market Turnover (81)

# 3.3 CONTROL MESSAGES

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.3	•	•

### 3.3.1 Heartbeat

Heartbeats consist of a message header with length set to the message header length. They do not increment the sequence number. SeqNum is set to the sequence number of the previous message. The Heartbeat message will be identical for all the services.

When not sending data the Server will repeatedly send heartbeat messages every few seconds and the period is communicated by the HeartBtInterval sent in the Logon Response (1102) message.

Also, clients should repeatedly send a heartbeat message to the Server at all times to maintain the TCP connection. The heartbeat should be periodic – as defined by the HeartBtInterval field received in the Logon Response (1102) message. If the server does not receive the expected heartbeat messages from the client two times in a row, then the server will logout the client and the client will receive the Logout (1103) message. See section 3.4.4 Logout (1103).

### 3.4 LOGON

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.4		•

Refer to Logon 5.1 within Message Scenarios for details on the restart messages.

# 3.4.1 Send Key (1105)

Prior to commencing Logon, MMDH clients must first exchange cryptographic keys with the OMD system and this is achieved using the Diffie-Hellman key exchange algorithm. The keys are then used to encrypt the password or new password fields during logon.

Prime, Generator, Public Key and Initialization Vector parameters are required by the client to complete the key exchange, which are sent by the MMDH server to the client once a TCP session is established. These parameters are sent in the 'SendKey' message.

The following diagram shows the first three messages transferred during all Logon scenarios:




Figure 1 - SendKey and Logon



### Step Client calculates parameters and sends a Logon (1101) message

- Client sets Diffie-Hellman parameters (prime, generator, subgroup order) from the values contained in the SendKey (1105) message
- Client generates a random public and private key pair
- Client creates a shared secret based on the OMD public key and the client private key
- Client uses SHA-256 to hash the shared secret to enable the creation of an AES Key
- Client encrypts the password using the generated AES Key in CFB mode, with the IV passed by the Server to the client (contained in the OMDPublicKey field)

- Client populates a Logon (1101) message containing the encrypted password and the client public key
- Note: the same method is used to encrypt the 'newpassword' field if password change is required

Step 3 Client sends Logon to Server

- Server creates a shared secret based on the Client public key and the OMD private key
- Uses SHA-256 to hash the shared secret to enable the creation of an AES Key
- Decrypts the password using the generated AES Key in CFB mode, with the server stored IV
- Continues normal logon procedure: e.g. authenticates the password against the password hash stored in the database, and checks for dual logon, etc.
- Populates a LogonResponse message

Step 4 Client receives LogonResponse from Server

#### Message Fields

Offset	Field	Format	Len	Description	Values	
0	MsgSize	Uint16	2	Size of the message		
2	MsgType	Uint16	2	Type of message	1105	Send Key
4	Prime	Data	128	A large Prime number in hexadecimal format		
132	Generator	Data	128	Generator – A primitive root modulo the value of Prime in hexadecimal format		
260	PrimeOrderSubgroup	Data	128			
388	OMDPublicKey	Data	144	First 128 bytes: the Public Key being shared Last 16 bytes: the Initialization Vector		
Total Ler	ngth		532			

### 3.4.2 Logon (1101)

The Logon (1101) message for clients enables both the mechanism for client authentication and password management.

Password length is between 16 and 20 characters.

Normal operation is as follows:-

Client sends Logon (1101) message containing username and encrypted password to the MMDH Publisher, which responds with the SessionStatus of 0 (Session active). The InternalSeqNum field will be used to assist with intra-day recovery but at start of day, should be set to 0. In the case of intra-day recovery the user can set the 'InternalSeqNum' field to the last received internal sequence number (this is one of the fields in the message header).

If the fields EncryptedNewPasswordLen and EncryptedNewPassword are populated, the logon attempt is seen as a password change attempt. During normal logon these fields should be empty.

See sections 5.1, 5.2, 5.3, 5.4 and 5.5 for diagrams showing the scenarios where this message is used.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message.	1101 Logon
4	Username	String	12	Username to log on, padded with binary null characters	
16	InternalSeqNum	Uint32	4	Set to the last received internal sequence number; Or 0 at the start of the day	
20	ClientPublicKey	Data	128	Generated according to the algorithm shown above	
148	EncryptedPasswordLen	Uint8	1	Length of the EncryptedPassword in bytes	Integer
149	EncryptedPassword	Data	20	AES Encrypted password	
169	EncryptedNewPasswordLen	Uint8	1	Length of the EncryptedNewPassword in bytes	Integer
170	EncryptedNewPassword	Data	20	AES Encrypted new password	
Total Ler	ngth		190		

### **Message Fields**

# 3.4.3 Logon Response (1102)

If the password is reset by HKEX Operations team then the user should specify this password as well as their new password details during their next logon attempt – see Change Password Message scenario in Section 5.5 for details. If the user does not specify their new password details then the user will receive a Logon Response (1102) message "SessionStatus" set to "Password expired".

Further attempts to use an expired password will be rejected with reason of "password expired". If this happens, the Subscriber has to reattempt logon until a correct new password has been specified and accepted.

Notes:

- The client is expected to adhere to the HeartBtInterval populated within the logon response provided by MMDH to avoid disconnection see section 3.3.1 for details.
- A TCP disconnection will follow SessionStatus return values of 5, 6, 104 or 105. In these cases clients should reconnect and wait for a new SendKey(1105) message before re-attempting Logon.
- A user account may be locked by HKEX Operations team or when users exceed the maximum number of logins permitted per day indicated by a SessionStatus return value of 6.

See sections 5.1, 5.2, 5.3, 5.4 and 5.5 for diagrams showing the scenarios where this message is used.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	1102 Logon Response

Offset	Field	Format	Len	Description	Values
4	HeartBtInterval	Uint16	2	Heartbeat Interval	
6	SessionStatus	Uint8	1	Status of the session	<ul> <li>Session active</li> <li>Session password</li> <li>changed</li> <li>Session password due to</li> <li>expire</li> <li>New session password</li> <li>does not comply with policy</li> <li>Invalid username or</li> <li>password</li> <li>Account locked</li> <li>Password expired</li> <li>Session Active - refresh</li> <li>required</li> <li>Already Connected</li> <li>Client Public Key</li> <li>Generation Issue</li> </ul>
7	PasswordExpiryDays	Uint8	1	Number of days left before password expires	Numerical
Total Ler	ngth		8		

# 3.4.4 Logout (1103)

The logout message is issued from the MMDH to inform clients when they have been logged out. The server will follow with a TCP disconnect. See sections 5.6 and 5.7 for diagrams showing the scenarios where this message is used.

### **Message Fields**

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	1103 Logout
4	SessionStatus	Uint8	1	Session Status	<ul> <li>Account locked</li> <li>Logon from second</li> <li>connection</li> <li>Heartbeat timeout</li> </ul>
5	Filler	String	3		
Total Lei	ngth		8		

# 3.5 **R**EFRESH

 Section supplied in this section and its sub-sections applies to the Datafeed(s) marked with [●]

 Section
 OMD Securities
 OMD Index

 Standard (SS)
 (Index)

 3.5
 ●

Refer to Refresh and restart scenarios within Message Scenarios, Section 5, for details on the Refresh and Restart messages.

### 3.5.1 Refresh Request (1201)

Used to request a Refresh of all market state from MMDH – for content detail refer to section 4.2 Refresh Service.

See section 5.3 for a diagram showing the scenario where this message is used.

#### **Message Fields**

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	1201 Refresh Request
Total Ler	ngth		4		

### 3.5.2 Refresh Response (1202)

Used to acknowledge an application refresh request.

See section 5.3 for a diagram showing the scenario where this message is used.

Message	Fial	de
messaye	IIC	u S

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	1202 Refresh Response
4	RefreshStatus	Uint8	1	Status of the refresh response	O Request fully processed
5	Filler	String	3		
Total Ler	ngth		8		

### 3.5.3 Refresh Complete (203)

This message is published at the end of a refresh cycle to demonstrate that the system has re-sent all messages. Once all refresh data is sent, the client is up to date and will continue to receive normal data flow as messages arrive.

See section 5.3 for a diagram showing the scenario where this message is used.

Message	<b>Ei</b> ol	de
INICODAYC		u S

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	203 Refresh Complete
4	LastInternalSeqNum	Uint32	4	The internal sequence number with this refresh (matches the Message Header)	Numerical
Total Length			8		

# **3.6 REFERENCE DATA**

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [•]

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.6		

# 3.6.1 Market Definition (10)

The Market Definition message is generated at the start of the business day for each market segment.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message.	10 Market Definition
4	MarketCode	String	4	Market segment identifier	MAIN GEM NASD ETS
8	MarketName	String	25	Market segment name	Alphanumerical
33	CurrencyCode	String	3	Base currency code of the market segment.	See Currency Values in section 3.1.2 for full details.
36	NumberOfSecurities	Uint32	4	Number of securities within the market segment	
Total Ler	Total Length				

# 3.6.2 Security Definition (11)

This Security Definition (11) message contains all the reference data for a security.

Security Definition (11) messages may be received intraday – for example the 'FreeText' field may be updated during the day.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	<b>11</b> Security Definition
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	MarketCode	String	4	Market segment identifier	MAIN GEM NASD ETS
12	ISINCode	String	12	ISIN code of the security	

Offerst	Field	Format	Lon	Description	Valuas
Offset	Field	Format	Len	Description	Values
24	InstrumentType	String	4	Instrument type of the security	BOND       Bonds         EQTY       Equities         TRST       Trusts         WRNT       Warrants & Structured         products       Products
28	ProductType	Uint8	1	Product type of the security	<ul> <li>Equity</li> <li>Equity - Ordinary Shares</li> <li>Equity - Preference Shares</li> <li>Equity - Rights</li> <li>Equity - Depository Receipt (HDR) - Ordinary Shares</li> <li>Equity - Depository Receipt (HDR) - Preference Shares</li> <li>Equity - SPAC Shares</li> <li>Warrant</li> <li>Warrant - Derivative Warrant (DW)</li> <li>Warrant - Callable Bull/Bear Contract (CBBC)</li> <li>Warrant - Equity Warrant</li> <li>Warrant - Equity Linked Instrument (ELI)</li> <li>Warrant - SPAC Warrants</li> <li>Bond</li> <li>Bond - Debt Security</li> <li>Trust - Real Estate Investment Trust (REIT)</li> <li>Trust - Cother Unit Trusts</li> <li>Trust - Cother Unit Trusts</li> <li>Trust - Equity ETF</li> <li>Trust - Fixed Income and Money Market ETF</li> <li>Trust - Commodities ETF</li> <li>Others - None of the above</li> </ul>
29	Filler	String	1		
30	SpreadTableCode	String String	1 2	Spread table code of the security	<ul> <li>01 Part A*</li> <li>03 Part B*</li> <li>04 For Inline Warrant (same as Part A up to and include HK\$ 1.00 as per SEHK)</li> <li>05 Part D*</li> <li>* Spread table as per Second Schedule of Rules of the Exchange</li> </ul>
32	SecurityShortName	String	40	Security short name	
72	CurrencyCode	String	3	Security currency code of the market	See Currency Values in section 3.1.2 for full details.
75	SecurityNameGCCS	Binary	60	Security name in Traditional Chinese using Unicode	Unicode UTF-16LE encoded
135	SecurityNameGB	Binary	60	Security name in Simplified Chinese using Unicode	Unicode UTF-16LE encoded

Offset	Field	Format	Len	Description	Values
195	LotSize	Uint32	4	Board lot size for the security	
199	Filler	String	4		
203	PreviousClosingPrice	Int32	4	Previous closing price of the security; or Net asset value (NAV) published by issuer for ETF or L&I Product on the trading day before its first day listing	3 implied decimal places
207	VCMFlag	String	1	Indicates whether Volatility Control Mechanism (VCM) is applicable to the security	YVCM applicableNVCM not applicable
208	ShortSellFlag	String	1	Indicator for short-sell authorization	Y         Short-sell allowed           N         Short-sell not allowed
209	CASFlag	String	1	Indicates whether Closing Auction Session (CAS) is applicable to the security	YCAS applicableNCAS not applicable
210	CCASSFlag	String	1	Indicates whether or not the security is a CCASS security	Y         CCASS security           N         Non CCASS security
211	DummySecurityFlag	String	1	Dummy Security Flag	YDummy securityNNormal security
212	Filler	String	1		
213	StampDutyFlag	String	1	Indicator for stamp duty requirement	Y         Stamp duty required           N         Stamp duty not required
214	Filler	String	1		
215	ListingDate	Uint32	4	Date of security listing	The representation is YYYYMMDD Value is 19000101 for unknown listing date
219	DelistingDate	Uint32	4	Date of security delisting	The representation is YYYYMMDD. Value is 0 if no date exists.
223	FreeText	String	38	Free text associated to the security	Fixed length array of free text. When there is no free text, spaces will be present instead.
261	Filler	String	62		
323	POSFlag	String	1	Indicates whether Pre-Opening Session (POS) is applicable to the security	YPOS applicableNPOS not applicable
324	POSUpperLimit	Int32	4	Upper price limit of all orders in POS Order Input period, and At- auction Limit sell order in POS No Cancellation and Random Matching periods	<ul><li>3 implied decimal places</li><li>0 means Not available</li></ul>
328	POSLowerLimit	Int32	4	Lower price limit of all orders in POS Order Input period, and At- auction Limit buy order in POS No Cancellation and Random Matching periods	<ul><li>3 implied decimal places</li><li>0 means Not available</li></ul>
332	DomainStmtSecurityCode	Uint32	4	Security code of the corresponding Domain Settlement Counter	5 digit security codes with possible values 1 – 99999

Offset	Field	Format	Len	Description	Values
					Value is <b>o</b> if the security itself is already the domain settlement counter
336	Filler	String	37		
Bonds S	pecific Data				
373	EFNFlag	String	1	EFN Indicator	¥ EFN № Non-EFN
374	AccruedInterest	Uint32	4	Accrued interest of the security	3 implied decimal places
378	CouponRate	Uint32	4	Coupon rate of a bond security	3 implied decimal places
382	Filler	String	1		
383	FaceValue	Uint64	8	Face value of a bond security	See DecimalsInFaceValue for the number of decimal places defined Not available
391	DecimalsInFaceValue	Uint8	1	Number of decimal places in Face Value	Not applicable if FaceValue = 0
392	FaceValueCurrency	String	3	Currency code of Face Value	See Currency Values in section 3.1.2 for full details.
395	MaturityDate	Uint32	4	Date of maturity of a bond security	The representation is YYYYMMDD
399	InvestorType	String	1	Investor type of a bond security	<ul><li>R Retail Investor</li><li>P Professional Investor</li></ul>
400	Filler	String	44		
Warrants	s, Basket Warrants and Structu	red Product spec	ific data		
444	ConversionRatio	Uint32	4	Conversion ratio for Structured Product	3 implied decimal places o means Not available
448	StrikePrice1	Int32	4	Strike price of the security if it has only one strike price, or Lower strike price of the security if it has lower and upper strike prices (i.e. upper strike price not = $0$ )	3 implied decimal places
452	StrikePrice2	Int32	4	Upper strike price of the security if it has lower and upper strike prices	3 implied decimal places Value is 0 if the securities has only one strike price
456	MaturityDate	Uint32	4	Date of maturity of a warrant or structured security	The representation is YYYYMMDD
460	CallPutFlag	String	1	Indicator of whether the warrant or structured product is a call or put option	For Derivative Warrants / Inline Warrants: C Call P Put O Others For ELI & CBBC: C Bull P Bear / Rang
461	Style	String	1	Style of the warrant	AAmerican styleEEuropean style <blank>Other</blank>
			2		

Offset	Field	Format	Len	Description	Values
464	WarrantType	String	1	Warrant type of the warrant	NNormal instrumentXExotic instrument"0"Not available
465	CallPrice	Int32	4	Call price for CBBC	See DecimalsInCallPrice for the number of decimal places defined 0 Not available
469	DecimalsInCallPrice	Uint8	1	Number of decimal places in Call Price	Not applicable if CallPrice = 0
470	Entitlement	Int32	4	Entitlement of the warrant	See DecimalsInEntitlement for the number of decimal places defined 0 Not available
474	DecimalsInEntitlement	Uint8	1	Number of decimal places in Entitlement	Not applicable if Entitlement = 0
475	NoWarrantsPerEntitlement	Uint32	4	Number of warrants per entitlement	Not applicable if Entitlement = 0
479	Filler	String	63		
542	NoUnderlyingSecurities	Uint16	2	Number of underlying security codes within this message	<ul> <li>o for structured product of which the underlying is not a security defined in Security Definition (11) message</li> <li>1 for structured product of which the underlying is defined in Security Definition (11) message</li> </ul>
544	UnderlyingSecurityCode	Uint32	4	5-digit code identifying the underlying security	
548	Filler	Uint32	4		
Total Lei	Total Length		<b>4 + 8</b> nu		

(nu = value of NoUnderlyingSecurities)

Note:

(1) PreviousClosingPrice may be set to 0, for example on the first day of listing of non-Exchange Traded Products (ETPs) (no existing previous closing price)

(2) Fields in Bonds Specific Data & Warrants and Structured Product Specific Data should be ignored if they are not applicable to the InstrumentType

# 3.6.3 Liquidity Provider (13)

The Liquidity Provider (13) message is generated at the start of the business day for securities that have at least one liquidity provider.

Offset	Field	Format	Le n	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	13 Liquidity Provider
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	NoLiquidityProviders	Uint16	2	Number of liquidity providers within this message	1 to 50

Offset	Field	Format	Le n	Description	Values
10	LPBrokerNumber	Uint16	2	Broker number of the liquidity provider	
Total Lei	ngth	10 -	+ 2nт		

( $n_T$  = value of NoLiquidityProviders)

# 3.6.4 Currency Rate (14)

The Currency Rate message provides the foreign exchange conversion rates between various foreign currencies and the Hong Kong dollar.

The Currency Factor and Currency Rate fields should be interpreted as below:

For example if 1 Euro is valued 10.22 HKD

- Currency Factor will be 0 (1 EUR)
- Currency Rate will be 102200 (4 decimals implied)

For example if 1000 Japanese Yen is worth 90.678 HKD

- Currency Factor will be 3 (1000 JPY)
- Currency Rate will be 906780 (4 decimals implied)

#### Message Fields

Offset	Field	Format	Le n	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	14 Currency Rate
4	CurrencyCode	String	3	Currency code.	See Currency Values in section 3.1.2 for full details.
7	Filler		1		
8	CurrencyFactor	Uint16	2	Currency factor conversion.	A non-zero value $n$ means all price fields for this security should be interpreted as a value equal to the price multiplied by $10^n$ .
10	Filler		2		
12	CurrencyRate	Uint32	4	Currency rate	Rate, expressed in HKD for one foreign currency unit. 4 decimals implied.
Total Ler	Total Length		16		

# 3.7 STATUS DATA

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.7		

# 3.7.1 Trading Session Status (20)

The Trading Session Status provides information on the status of a market segment. It is sent whenever there is change of trading session.

This message may not be synchronized with order and trade data.

Offse	et Field	Format	Len	Description	Values
	0 MsgSize	Uint16	2	Size of the message	
	2 MsgType	Uint16	2	Type of message	20 Trading Session Status
	4 MarketCode	String	4	Market segment identifier	MAIN GEM NASD ETS
	8 Filler	Uint8	1		
	9 TradingSessionSubl	D Uint8	1	Trading session sub-identifier	<pre>100 Not Yet Open (NO) Pre-opening Session: 1 [POS] Order Input (OI) 101 [POS] No Cancellation (NW) 108 [POS] Random Matching</pre>
1	0 TradingSesStatus	Uint8	1	Status of the current trading session	<ul> <li>Unknown (for NO)</li> <li>Halted (for El)</li> <li>Pre-Open (for [POS] OI, NW, RM, MA, and BL)</li> <li>Open (for CT and OC)</li> <li>Pre-Close (for [CAS] RP, OI, NW, RC, MA)</li> <li>Closed (for CL)</li> <li>Day Closed (for DC)</li> </ul>
1	1 TradingSesControlFI	lag String	1	Indicates how control of trading session and sub-session transitions are performed	<ul> <li>Automatic (Default)</li> <li>Manual (this invalidates the normal schedule for the day)</li> </ul>
1	2 Filler	String	4		

Offset	Field	Format	Len	Description	Values
16	StartDateTime	Uint64	8	Start time of the trading status	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970, precision is provided to the nearest second. Set to <b>0</b> if no time is available.
24	EndDateTime	Uint64	8	End time of the trading status	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970, precision is provided to the nearest second. Set to 0 if no time is available.
Total Le	Total Length		32		

# 3.7.2 Security Status (21)

The Security Status message is generated

- At the start of the business day if the security is not available for trading..
- Whenever a security state changes.

### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	21 Security Status
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	SuspensionIndicator	Uint8	1	Indicate whether the security is currently halted/ suspended for trading	<ul><li>2 Trading Halt or Suspend</li><li>3 Resume</li></ul>
9	Filler	String	3		
Total Le	Total Length				

Note: 'Resume' in Suspension Indicator means the security is now available for trading,

# 3.8 ORDER BOOK DATA

This section includes definition of the following messages:

- Add / Delete Odd Lot Order for odd lot orders
- Aggregate Order Book Update for board lot orders
- Broker Queue for board lot orders

### 3.8.1 Add Odd Lot Order (33)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)



Complimentary service to the Datafeed(s)

The Add Odd Lot Order message is generated when a new odd lot order is inserted into the order book.

### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	33 Add Odd Lot Order
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	Orderld	Uint64	8	Unique identifier for each order performed within the trading day	Values may not be consecutive
16	Price	Int32	4	Price	3 implied decimal places
20	Quantity	Uint32	4	Number of shares	
24	BrokerID	Uint16	2	Integer identifier uniquely identifying the Broker	Integer
26	Side	Uint16	2	Side of the order	0 Bid 1 Offer
Total Lei	Total Length				

# 3.8.2 Delete Odd Lot Order (34)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.8.2		
	(via complimentary odd lot order feed)	

Complimentary service to the Datafeed(s)

The Delete Odd Lot Order message is generated when an existing odd lot order identified by the Orderld is deleted.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	34 Delete Odd Lot Order
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	Orderld	Uint64	8	Unique identifier for each order performed within the trading day	Values may not be consecutive
16	BrokerID	Uint16	2	Integer identifier uniquely identifying the Broker	Integer

Offset	Field	Format	Len	Description	Values
18	Side	Uint16	2	Side of the order	0 Bid 1 Offer
Total Length		20			

# 3.8.3 Aggregate Order Book Update (53)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.8.3		

Refer to Section 6 - Aggregate Order Book Management for details on the Aggregate Order Book Update message. The Aggregate Order Book Update message only applies to Board Lots.

#### **Message Fields**

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	МѕдТуре	Uint16	2	Type of message	53 Aggregate Order Book Update
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	Filler	String	3		
11	NoEntries	Uint8	1	Number of book entries within the message	
12	AggregateQuantity	Uint64	8	Aggregated number of shares.	
20	Price	Int32	4	Price	3 implied decimal places
24	NumberOfOrders	Uint32	4	Number of orders	
28	Side	Uint16	2	Side of the order	0 Bid 1 Offer
30	PriceLevel	Uint8	1	Price level	
31	UpdateAction	Uint8	1	Type of market data update action	<ul> <li>0 New</li> <li>1 Change</li> <li>2 Delete</li> <li>74 Orderbook Clear</li> </ul>
32	Filler	String	4		
Total Lei	Total Length				

(no = value of NoEntries)

# 3.8.4 Broker Queue (54)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.8.4		

The Broker Queue message contains the priority list of the (max) top 40 broker IDs for a given side, and is generated whenever any of the entries in the list are modified. Entries are ordered according to distance away from the best price with best price brokers being at the front of the queue. The queue will also include spread level entries between each price level, which are marked when the Type field is set to 'S'. When the Type field is set to 'S', there are two possibilities;

- The Item is non-zero indicating the number of spread levels away from the best price
- The Item is zero indicating that there are no brokers with orders at the spread level indicated by the previous entry of Type set to 'S'

Example: if the active offers are as below, and assuming a spread level is 0.01:

Ask Price	Broker ID
20.28	2137
20.28	4138
20.29	2141
20.29	5123
20.31	3145

#### Then the resulting Ask side Broker Queue will be represented as below:

Entry	1	2	3	4	5	6	7	8	9
Item	2137	4138	1	2141	5123	2	0	3	3145
Туре	В	В	S	В	В	S	S	S	В

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	54 Broker Queue
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	ItemCount	Uint8	1	This field contains the number of items in the message – repeating items are shown indented below	0 to 40
9	Side	Uint16	2	Side of the order	1 Buy 2 Sell
11	BQMoreFlag	String	1	Flag indicating if there are more broker numbers in the queue	<ul> <li>Y More broker numbers exist in the queue</li> <li>No more exist</li> </ul>
12	Item	Uint16	2	This field contains either the broker number or the number of spreads away from the best price	
14	Туре	String	1	Indicates the type of information contained in the item	<ul><li>B Broker number</li><li>S Number of Spread</li></ul>
15	Filler	String	1		
Total Lei	ngth		12 + 4nı		

### 3.8.5 Order Imbalance (56)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [							
Section	OMD Securities Standard (SS)	OMD Index (Index)					
	Stanuaru (55)	(IIIUEX)					
3.8.5							

The Order Imbalance message provides order imbalance information at the Indicative Equilibrium Price (IEP) during the Pre-Opening Session (POS) and Closing Auction Session (CAS).

#### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	56 Order Imbalance
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	OrderImbalanceDirection	String	1	Indicates the imbalance direction when the matchable buy quantity and sell quantity at IEP are not equal	N Buy = Sell B Buy Surplus S Sell Surplus <space> Not applicable, i.e. when IEP is not available</space>
9	Filler	String	1		
10	OrderImbalanceQuantity	Uint64	8	The absolute difference between the matchable buy quantity and the sell quantity at IEP Value should be ignored if Order Imbalance Direction is <space></space>	
18	Filler	String	2		
Total Ler	Total Length		20		

## 3.9 TRADE AND PRICE DATA

### 3.9.1 Trade Ticker (52)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.9.1		

The Trade Ticker is an aggregation of several trades into one message, combining quantities of subsequent trades made on a given instrument at a given fixed price.

When a trade is cancelled, a Trade Ticker message will be generated with the TickerID set to the ticker which contains the cancelled trade, and with the AggregateQuantity set to remaining quantity outstanding.

### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	52 Trade ticker
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	TickerID	Uint32	4	Unique identifier per security for each trade ticker generated within the trading system. The ID is unique per security for each trading day	Starting from 1, incrementing by 1 for each trade ticker
12	Price	Int32	4	Price	3 implied decimal places
16	AggregateQuantity	Uint64	8	Aggregated number of shares	Remaining quantity if TrdCancelFlag = Y
24	TradeTime	Uint64	8	Time of trade	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970 Precision is provided to microsecond Not applicable when TrdCancelFlag = Y
32	TrdType	Int16	2	Public trade type	<ul> <li>Automatch normal (Public Trade Type <space>)</space></li> <li>Late Trade (Off-exchange previous day) (Public Trade Type "P")</li> <li>Non-direct Off-Exchange Trade (Public Trade Type "M")</li> <li>Automatch internalized (Public Trade Type "Y")</li> <li>Direct off-exchange Trade (Public Trade Type "X")</li> <li>Direct off-exchange Trade (Public Trade Type "X")</li> <li>Odd-Lot Trade (Public Trade Type "D")</li> <li>Auction Trade (Public Trade Type "U")</li> <li>Not applicable when TrdCancelFlag = Y</li> </ul>
34	TrdCancelFlag	String	1	Indicates that a trade covered in the original Trade Ticker has been cancelled	Y     Cancelled       N     Not cancelled
35	Filler	String	1		
Total Ler	ngth		36		

# 3.9.2 Closing Price (62)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.9.2		

The Closing Price message is generated near the end of the business day for each security. If the closing price is not available, the field 'ClosingPrice' is set to 0.

#### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	62 Closing Price
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	ClosingPrice	Int32	4	Current Day Closing Price	3 implied decimal places
12	Filler	String	4		
Total Length			16		

### 3.9.3 Nominal Price (40)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.9.3		

The Nominal Price message may be generated when an order is added, deleted or modified in a book or when trade or trade cancel is performed. Before the arrival of the first Nominal Price message, the nominal price should be the same as the previous closing price provided in the Security Definition (11) message.

#### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	40 Nominal Price
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	NominalPrice	Int32	4	Nominal price of a security	3 implied decimal places
Total Lei	ngth		12		

Note: Nominal Price may be 0 in specific cases (e.g. no reference price)

### 3.9.4 Indicative Equilibrium Price (41)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

OMD Securities	OMD Index
Standard (SS)	(Index)

The Indicative Equilibrium Price (IEP) message is generated whenever there is change of the Indicative Equilibrium Price (IEP) or Indicative Equilibrium Volume (IEV) during the Pre-Opening Session (POS) or Closing Auction Session (CAS). The IEP will become 0 when IEP does not exist.

#### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	41 Indicative Equilibrium Price
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	Price	Int32	4	IEP	3 implied decimal places Value is 0 if IEP is not available
12	AggregateQuantity	Uint64	8	IEV	
Total Length		20			

### 3.9.5 Reference Price (43)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.9.5		

This message provides the reference price, lower and upper price limits for order input during an applicable auction session and will be sent again when there is any change of the reference price, lower and upper price limits during the session. Also the same information may be resent during the auction session.

For Pre-Opening Session (POS), a Reference Price message is generated at the beginning of No cancellation session for all securities applicable for POS. At Blocking session, all prices will be reset to zero.

Note: with regard to the upper and lower price limit for Order Input session in POS, please refer to the POS related fields in Security Definition (11).

For Closing Auction Session (CAS), a Reference Price message is generated at the start of the session for all the securities tradable on the day, regardless of whether it is a CAS applicable security or not.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	43 Reference Price
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	ReferencePrice	Int32	4	Reference price of the security for order input in POS and CAS.	3 implied decimal places Value is 0 if the reference price is not available
12	LowerPrice	Int32	4	Lower price limit of at-auction Limit sell order in POS No Cancellation and Random Matching periods Lower price of the allowed price band for order input in CAS	3 implied decimal places o means N/A
16	UpperPrice	Int32	4	Upper price limit of at-auction Limit buy order in POS No	3 implied decimal places 0 means N/A

Offset	Field	Format	Len	Description	Values
				Cancellation and Random Matching periods Upper price of the allowed price band for order input in CAS	
Total Le	ngth		20		

Note: Reference Price may be 0 in special cases (e.g. no nominal price).

### 3.9.6 VCM Trigger (23)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities	OMD Index
	Standard (SS)	(Index)
3.9.6		

The VCM Trigger message is generated whenever a cooling off period is triggered by Volatility Control Mechanism (VCM).

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	23 VCM Trigger
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	CoolingOffStartTime	Uint64	8	Time when the cooling off period starts	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970, precision is provided to the nearest second.
16	CoolingOffEndTime	Uint64	8	Time when the cooling off period ends	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970, precision is provided to the nearest second.
24	VCMReferencePrice	Int32	4	Reference Price for the cooling off period	3 implied decimal places
28	VCMLowerPrice	Int32	4	Lower price in the price band allowed during the cooling off period	3 implied decimal places
32	VCMUpperPrice	Int32	4	Upper price in the price band allowed during the cooling off period	3 implied decimal places
Total Le	ngth		36		

# 3.10 VALUE ADDED DATA

#### 3.10.1 Statistics (60)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.10.1		

The Statistics message provides statistics including high/low prices and turnover. It is generated, excluding overseas trades, once after:

- all corresponding trades matched in Continuous Trading Session (CTS) or in an auction session
- manual trade
- odd lot trade
- trade cancel

The ShortSellSharesTraded and ShortSellTurnover fields (the shortsell fields) are only updated twice each day at most for securities with shortselling activities - at the end of the morning session if the shortsell fields are non-zero and at the end of the afternoon session if the value of any of the shortsell fields are different from that disseminated at the end of the morning session.

#### **Message Fields**

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	60 Statistics
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	SharesTraded	Uint64	8	Number of shares traded for a security	
16	Turnover	Int64	8	Current turnover	3 implied decimal places
24	HighPrice	Int32	4	Highest trade price currently performed for a security	3 implied decimal places
28	LowPrice	Int32	4	Lowest trade price currently performed for a security	3 implied decimal places
32	LastPrice	Int32	4	Last trade price for a security	3 implied decimal places
36	Filler	String	4		
40	ShortSellSharesTraded	Uint32	4	Number of short-sell shares traded for a security	
44	ShortSellTurnover	Int64	8	Current short-sell turnover for a security	3 implied decimal places
Total Lei	ngth		52		

### 3.10.2 Market Turnover (61)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.10.2		(IIIdex)

The Market Turnover message contains the total turnover (excluding the turnover of overseas trades) for all securities on a given market segment for a given trading currency. It also provides the total turnover (excluding the turnover of overseas trades) for all securities regardless of trading currency on a given market segment in HKD equivalent. Under normal circumstances, the updates are disseminated around every 2 seconds during the trading hours.

When the CurrencyCode is blank, the turnover represents the total turnover traded on the given market segment for all trading currencies, expressed in HKD.

#### Message Fields

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	61 Market Turnover
4	MarketCode	String	4	Market segment identifier	MAIN GEM NASD ETS
8	CurrencyCode	String	3	Currency code of all securities of which the market turnover is derived	See Currency Values in section 3.1.2 for full details. Blank for total turnover for the Market Segment (i.e. MarketCode) in HKD equivalent.
11	Filler	String	1		
12	Turnover	Int64	8	Total Traded Turnover of the stocks traded on the market segment in the respective currency	3 implied decimal places
Total Lei	ngth		20		

#### 3.10.3 Yield (44)

Section	Standard (SS)	(Index)
3.10.3		

The Yield message is generated for bond securities when their yield percentage changes.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	44 Yield
4	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
8	Yield	Int32	4	Current yield of the bond security based on its coupon rate and nominal price	3 implied decimal places o means Not available
Total Length		12			

### 3.11 NEWS

### 3.11.1 News (22)

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [									
Section	OMD Securities	OMD Index							
	Standard (SS)	(Index)							
3.11.1									

The News message is generated whenever a news update occurs. The message indicates which markets and/or securities the news is applied to. If NoMarketCode and NoSecurityCodes are both set to zero, the news applies to all markets.

The news may be fragmented across multiple consecutive messages. The LastFragment field will be set to 'Y' in the message that contains the last fragment. The "Headline" will only be carried in the first message and blanked from the second message onwards.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	22 News
4	NewsType	String	3	Type of Exchange news	EXN Exchange news EXC Chinese Exchange news
7	NewsID	String	3	Unique number for the news page within each NewsType	
10	Headline	String / Binary	320	News headline	If NewsType is EXN the Headline is ASCII encoded If NewsType is EXC the Headline is Unicode UTF-16LE encoded
330	CancelFlag	String	1	Indicator of whether previously released exchange news (identified by NewsType and NewsID) has been cancelled	Y Cancelled N Not cancelled
331	LastFragment	String	1	Indicates whether this message is the last in a sequence of messages	Y Complete N Not complete
332	Filler	String	4		
336	ReleaseTime	Uint64	8	Release time of the news	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970 ReleaseTime precision is currently provided to the nearest second.
344	Filler	String	2		
346	NoMarketCodes	Uint16	2	Number of market codes within this message	0 to 4
348	MarketCode	String	4	Market segment identifier	MAIN GEM NASD ETS
348 + 4 <sub>nm</sub>	Filler	String	2		

Offset	Field	Format	Len	Description	Values
350 + 4 <sub>nm</sub>	NoSecurityCodes	Uint16	2	Number of security codes within this message	0 to 200
<b>352+ 4</b> nм	SecurityCode	Uint32	4	Uniquely identifies a security available for trading	5 digit security codes with possible values 1 – 99999
352 + 4 <sub>nM</sub> + 4 <sub>ns</sub>	Filler	String	2		
354 + 4 <sub>n<sub>M</sub></sub> + 4 <sub>ns</sub>	NoNewsLines	Uint16	2	Number of news lines	Maximum of 10 lines per "news page" is currently supported
356 + 4 <sub>nM</sub> + 4 <sub>ns</sub>	NewsLine	String / Binary	160	News line	If NewsType is EXN the NewsLine is ASCII encoded If NewsType is EXC the NewsLine is Unicode UTF-16LE encoded
Total Length		356 + 4 <sub>n<sub>M</sub></sub> ·	+ 4 <sub>ns</sub> + 160n <sub>p</sub>		
					$(n_M = value of NoMarketCodes)$

(n<sub>s</sub> = value of NoSecurityCodes)

(np = value of NoNewsLines)

# 3.12 INDEX DATA AND MARKET INFORMATION

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Section	OMD Securities Standard (SS)	OMD Index (Index)
3.12		

The indices and market information supplied under the OMD Index are described in more detail in Appendix A, as it may be amended from time to time.

### 3.12.1 Index Definition (70)

The Index Definition message contains the static referential data for the given index and market information and is generated at the start of the business day and may be re-disseminated during the trading hours.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	70 Index and Market Information Definition
4	IndexCode	String	11	Upstream source's index code or market information identifier	See Index Code in Appendix A for full details.
15	IndexSource	String	1	Index source	<ul> <li>CSI or other source of market information</li> <li>HSI</li> <li>S&amp;P</li> </ul>
16	CurrencyCode	String	3	Currency code of Index Turnover	See Currency Values in section 3.1.2 for full details.

Offset	Field	Format	Len	Description	Values
19	Filler	String	1		
Total Length		20			

# 3.12.2 Index Data (71)

The Index Data message contains all the real-time data for a given index and real-time market information. Fields within this message may be populated with null values to identify when an update is not provided. See section 3. 1.1 (Null Values) for more information about null values.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	71 Index Data and Market Information
4	IndexCode	String	11	Upstream source's index code or market information identifier	See Index Code in Appendix A for full details
15	IndexStatus	String	1	Index status	<ul> <li>C Closing value</li> <li>Indicative</li> <li>Opening index</li> <li>Last close value (prev. ses.)</li> <li>P Preliminary close</li> <li>S Stop loss index</li> <li>T Real-time index value</li> <li>IndexStatus can be blank if not defined by third party index compilers</li> </ul>
16	IndexTime	Int64	8	Publisher timestamp	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970 IndexTime precision is currently provided to the nearest second.
24	IndexValue	Int64	8	Current value of the index	4 implied decimal places
32	NetChgPrevDay	Int64	8	Net change of IndexValue from the previous close, as provided in index source	4 implied decimal places
40	HighValue	Int64	8	Highest value for an index	4 implied decimal places
48	LowValue	Int64	8	Lowest value for an index	4 implied decimal places
56	EASValue	Int64	8	Estimated Average Settlement Value	2 implied decimal places
64	IndexTurnover	Int64	8	Current turnover of underlying constituents	4 implied decimal places
72	OpeningValue	Int64	8	First value for an index	4 implied decimal places
80	ClosingValue	Int64	8	Last value for an index	4 implied decimal places
88	PreviousSesClose	Int64	8	Previous session closing value (previous day's closing value	4 implied decimal places

Offset	Field	Format	Len	Description	Values
				for CSI and S&P, previous session's closing value for HSI and TR)	
96	IndexVolume	Int64	8	Index volume of underlying constituents. Only applicable for CSI	
104	NetChgPrevDayPct	Int32	4	Percentage change of IndexValue from the previous close, as provided in index source	4 implied decimal places
108	Exception	String	1	Exception indicator	<ul> <li>Index with HSIL defined exceptional rule applied</li> <li>' Normal index (empty string)</li> </ul>
109	Filler	String	3		
Total Ler	ngth		112		

# 3.13 STOCK CONNECT DATA

The information supplied in this section and its sub-sections applies to the Datafeed(s) marked with [

Secti	ion	OMD Securities Standard (SS)	OMD Index (Index)
3.1	3		

Complimentary service to the Datafeed(s)

### 3.13.1 Stock Connect Daily Quota Balance (80)

The Stock Connect Daily Quota Balance message provides updates on the Northbound Daily Quota Balance (DQB) for Shanghai-Hong Kong Stock Connect and Shenzhen-Hong Kong Stock Connect separately. Under normal circumstances, the updates are disseminated around every 5 seconds during the trading hours.

Message	Fiel	b
messaye		u S

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	МѕдТуре	Uint16	2	Type of message	80 Stock Connect Daily Quota Balance
4	StockConnectMarket	String	2	Market connected under Stock Connect Program	SHShanghai Stock ExchangeSZShenzhen Stock Exchange
6	TradingDirection	String	2	Trading Direction	NB Northbound trading
8	DailyQuotaBalance	Int64	8	Northbound Daily Quota Balance (DQB) value for specified Stock Connect Program	DQB in Renminbi (RMB) NULL value will be provided when DQB is above or equal to 30% of the daily quota. Actual DQB value will be provided when DQB is below 30% of the daily

Offset	Field	Format	Len	Description	Values
					<ul><li>quota. Upon that, the actual DQB value will be provided for the rest of the trading day.</li><li>o when the respective DQB is used up</li></ul>
16	DailyQuotaBalanceTime	Uint64	8	Time of DailyQuotaBalance	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970 DailyQuotaBalanceTime precision is currently provided to the nearest second.
Total Length		24			

### 3.13.2 Stock Connect Market Turnover (81)

The Stock Connect Market Turnover message provides aggregate turnover under Shanghai-Hong Kong Stock Connect and Shenzhen-Hong Kong Stock Connect ("the Stock Connect programs"). The aggregate turnover is provided for the Northbound trading and the Southbound trading separately under each of the Stock Connect programs.

For Northbound trading, Buy+Sell Turnover will only be provided after the market close of the trading day in Shanghai and Shenzhen market, normally by 16:00.

For Southbound trading, under normal circumstances, the updates are disseminated around every one minute during the trading hours.

Offset	Field	Format	Len	Description	Values
0	MsgSize	Uint16	2	Size of the message	
2	MsgType	Uint16	2	Type of message	81 Stock Connect Market Turnover
4	StockConnectMarket	String	2	Market connected under Stock Connect Program	SHShanghai Stock ExchangeSZShenzhen Stock Exchange
6	TradingDirection	String	2	Trading Direction	NB Northbound trading SB Southbound trading
8	BuyTurnover	Int64	8	Total turnover of Buy trades from the Northbound or Southbound trading (as specified in TradingDirection) under the Stock Connect Program rounded down to integer	Turnover in HKD for Southbound trading Turnover for Northbound trading is not available. Null value will be provided for Northbound trading
16	SellTurnover	Int64	8	Total turnover of Sell trades from the Northbound or Southbound trading (as specified in TradingDirection) under the Stock Connect Program rounded down to integer	Turnover in HKD for Southbound trading Turnover for Northbound trading is not available. Null value will be provided for Northbound trading

Offset	Field	Format	Len	Description	Values
24	Buy+SellTurnover	Int64	8	Sum of the values of BuyTurnover and SellTurnover rounded down to integer	Turnover in HKD for Southbound trading Turnover in RMB for Northbound trading is not available during trading hours. A day end turnover will be available after market close.
Total Length		32			

### 4. **RECOVERY**

The system provides 2 mechanisms for clients to recover possible data loss from disconnections, namely, Restart and Refresh. On reconnection, clients should always present the InternalSeqNum received in the last message from the server in the InternalSeqNum in the Logon message. The decision to perform a Restart or Refresh, however, is determined by the server and users should use the SessionStatus field within the Logon Response message to determine whether Restart or Refresh is required.

### 4.1 **Restart**

For short outages where the lost messages are still held in MMDH for Restart recovery, when clients reconnect as above and following successful logon, the system will resume data dissemination from the next message following the message associated with InternalSeqNum supplied in Logon.

However, if the requested message indicated by InternalSeqNum is no longer available in MMDH, MMDH will provide a logon response message with the Session Status value set to '101' (Session Active - Refresh required) and the user should use the Refresh service which is described below.

### 4.2 **REFRESH SERVICE**

The Refresh service is designed to allow clients to recover from a large scale data loss. This can happen after a late start or during a major outage. Clients should clear all market data received from MMDH for the day from their systems before processing Refresh messages. The refresh service is request based and in order to initiate a refresh the client must send a Refresh Request (1201) message after successful logon – see section 3.5.1 for details. The messages provided and processing of the refresh messages are described below.

#### **Snapshot Processing**

See the sequence diagram shown in section 5.3 (Refresh (Data Out Of Range)) to understand the messaging scenario. A Refresh Complete message is sent at the end of a snapshot and following this message the real time data will resume automatically.

#### Latest Market Snapshot

Data available in the Latest Market Snapshot is described in the table below. During refresh the static data for all markets, securities, liquidity providers and currency rates will be sent first.

Message	Snapshot description
Market Definition	Latest market static message for each market.
Security Definition	Latest security static message for each security.
Liquidity Provider	Latest liquidity provider message for each security.
Trading Session Status	Latest trading session status message for each market.
Security Status	Security Status message for halted securities and securities resumed trading with status changed to 'resumed' on the current trading day.
Add Odd Lot Order	Snapshot for all non-empty books (for odd lot orders).
Aggregate Order Book Update	Snapshot for all non-empty books (for board lot orders). Occasionally Aggregated Order Book Update messages will be sent for emptied order books after cancellation or matching of all outstanding orders. In such cases the value of the NoEntries will be "0".
Broker Queue	Snapshot for all non-empty books (for board lot orders). Occasionally Broker Queue messages will be sent for emptied broker queues after cancellation or matching of all outstanding orders. In such cases the value of the ItemCount will be "0".
Order Imbalance	Latest Order Imbalance message for each CAS applicable security.
Closing Price	Closing Price message if available for each security.
Indicative Equilibrium Price	Latest Indicative Equilibrium Price message for each security.
Nominal Price	Latest nominal price message for each security.
Reference Price	Latest Reference Price for each security.

Message	Snapshot description
VCM Trigger	Latest VCM Trigger message for each VCM applicable security with cooling off period trigged by VCM.
Statistics	Latest Statistics message for each security.
Market Turnover	Latest Market Turnover message per market / currency pair.
Currency Rate	Latest Currency Rate message for each currency.
News	All News messages.
Index Definition	Latest Index Definition message for each index.
Index Data	Latest Index Data message for each index.
Yield	Latest Yield message generated for bond securities when their yield percentage last changed.
Stock Connect Daily Quota Balance	Latest Stock Connect Daily Quota Balance for each Stock Connect Program.
Stock Connect Market Turnover	Latest Stock Connect Market Turnover for each Stock Connect Program and trading direction.


# 5. MESSAGE SCENARIOS

There are a number of scenarios described in this section. For each scenario, a pictorial representation of the flow of the messages is provided.

# 5.1 LOGON (START OF DAY)

When logon is attempted there are a number of responses possible from the MMDH Publisher. The scenario below shows 5 possible responses. In each case the 'SessionStatus' field is used to indicate the result.

See sections 3.4.2 Logon (1101) and 3.4.3 Logon Response (1102) for message fields that are used for this scenario.




#### Figure 2 - Logon

# 5.2 RESTART (DATA IN RANGE)

The server maintains a short history of recent messages which are available for Restart. If the InternalSeqNum provided during Logon is available within this history then the server will simply provide all messages between InternalSeqNum up to the current latest real-time message. Normal data flow continues thereafter.

Typically a restart is possible at the beginning of the day or very soon after a service interruption (where the client is reconnecting).

See sections 3.4.2 Logon (1101) and 3.4.3 Logon Response (1102) for message fields that are used for this scenario




#### Figure 3 - Restart

# 5.3 REFRESH (DATA OUT OF RANGE)

The Logon (1101) message includes the 'InternalSeqNum' field. If the sequence number specified is too old then clients will be prompted to request a Refresh (the server only maintains a limited number of recent messages). The need for Refresh is indicated by a Logon Response with Session Status value of 101. On receiving this message clients should clear all cached data for all instruments and then send a Refresh Request (1202) message to the server. The server will respond with the Latest Market Snapshot.

The Latest Market Snapshot contains all messages defined in section 4.2 (Refresh Service). Once all Latest Market Snapshot data is sent the client is up to date and will continue to receive normal data flow as it arrives. Note that messages within the Latest Market Snapshot do not carry any internal sequence number. The new latest internal sequence number will be provided in the Refresh Complete message.

See sections 3.4.2 Logon (1101), 3.4.3 Logon Response (1102), 3.5.1 Refresh Request (1201), 3.5.2 Refresh Response (1202) and 3.5.3 Refresh Complete (203) for message fields that are used for this scenario.



#### Figure 4 – Restart (Intraday)

### 5.4 PASSWORD CLOSE TO EXPIRY

When a valid Logon (1101) message is sent but there are only a few days left before expiry of the password, the system will allow the user to logon normally but the Logon Response message will have SessionStatus set to 2 ("Session password due to expire"). Data will continue to flow as normal but the user should change their password as soon as possible – see section 5.5 (Change Password) for details.

See sections 3.4.2 Logon (1101) and 3.4.3 Logon Response (1102) for message fields that are used for this scenario.




Figure 5 - Expiry Warning

## 5.5 CHANGE PASSWORD


A change of password may be attempted by specifying two fields within the Logon (1101) message, these fields are:

- EncryptedNewPasswordLen
- EncryptedNewPassword

Successful password changes will be indicated with a 'SessionStatus' value of 1 in the Logon Response. Other values indicate policy violations. If successful the Client should then send a new Logon (1101) message with the new password value to resume normal data flow.

Another alternative is that the HKEX Operations team have manually changed the password. This temporary password is valid only for the next logon attempt, and the user must change their password at the next logon. If the user doesn't specify new password credentials correctly they will receive a 'Password expired' response, or possibly an 'Against Policy' response if the new password doesn't meet HKEX policy criteria (see section 2.2.1 for policy details). The message flow for changing a password that has been reset by HKEX Operations team is identical to the above but the user must use the temporary password during the first Logon (1101) message and at the same time also send values within the EncryptedNewPassword and EncryptedNewPasswordLen fields.

See sections 3.4.2 Logon (1101) and 3.4.3 Logon Response (1102) for message fields that are used for this scenario.






### 5.6 Two LOGONS FROM SAME CLIENT

Multiple logons are not permitted. In this scenario a  $2^{nd}$  logon is attempted, which is rejected and additionally the first client is also disconnected. Notice that the TCP/IP session is broken and must be re-established by the client – the server always forces disconnect after sending the Logout(1103) message.

See sections 3.4.2 Logon (1101), 3.4.3 Logon Response (1102) and 3.4.4 Logout (1103) for message fields that are used for this scenario.



#### Figure 7 - Dual Logons

# 5.7 ACCOUNT LOCKED (INTRADAY)

If an account is locked by the MMDH Operations Team, the Client will receive a Logout message.

See section 3.4.4 Logout (1103) for message fields that are used for this scenario.




Figure 8 - Account Locked

# 6. AGGREGATE ORDER BOOK MANAGEMENT

#### **Book Identification**

For each security there exists an odd lot book and a board lot book in the trading system. A book is therefore uniquely identified by SecurityCode.

#### Partial Price Depth

Securities shall be traded in accordance with the scale of spreads set out in the Second Schedule of the Rules of the Exchange respective to the Spread Table Code specified in their Securities Definition message. The tick level provides information on how many spreads from the best price for an order price whereas a price level is assigned to each price existing in the OMD order book. An order price with tick level 1 means the order price is the best price, a tick level of 2 means the order price is one spread from the best price, etc. The Aggregate Order Book Update message sends out the price level but not the tick level.

The concept of tick and price levels is illustrated in the table below, assuming that the best bid price of a security is 9800 and the spread is 10 for this price range. In the table there are orders in 5 bid prices so the number of price levels is 5 (contiguous price levels from 1 to 5); these orders are distributed over 10 spreads (tick levels) so the tick levels are from 1 to 10. Taking orders with bid price 9710 as example, it is the 5<sup>th</sup> price in the book so the price level will be 5 and it is 9 spreads from the best bid price so the tick level will be 10.

	В	id Side	
Tick	PriceLevel	AggregateQuantity	Price
1	1	700	9800
2	2	350	9790
3			
4			
5	3	150	9760
6			
7			
8			
9	4	250	9720
10	5	100	9710

OMD provides a view of 10 tick depths of the aggregate order book for securities market and does not provide updates on price levels which are more than 9 spreads away from the best price. This view can be visualized as a number of rows in a table for each of the bid and ask sides. On each side there are a number of rows showing the aggregate quantity available at a number of price levels and tick levels.

	В	id Side			Ask Sid	е	
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick
1	1	700	9730	9760	500	1	1
2	2	350	9720	9770	300	2	2
3	3	150	9710	9780	100	3	3
4	4	250	9700	9790	150	4	4
5	5	100	9690				5
6	6	150	9680				6
7	7	50	9670				7
8	8	200	9660				8
9	9	100	9650				9
10							10

OMD only sends updates within the 10 tick levels in the aggregate order book except for Explicit Deletion (please refer Example 5 illustrated below for details)

#### Book Updates

Book update messages are generated by OMD as delta messages defined in section 3.8.3 (Aggregate Order Book Update (53)). Each message may contain any combination of new, changed or deleted entries for a book. The nature of an entry is defined by its UpdateAction.

New, to create/insert a new price level Delete, to remove a price level Change, to update aggregate quantity at a price level Orderbook Clear, to inform users that all price levels should be cleared

#### Example 1 – Quantity Reduction and Explicit Addition

For example suppose the Ask order at price level 9770 is reduced in quantity and at the same time a new order is added at price level 9850, then the following message is sent;

Offset	Field Name	Value
0	MsgSize	60
2	MsgType	53
4	SecurityCode	1234
8	Filler	NULL
11	NoEntries	2
12	AggregateQuantity	200
20	Price	9770
24	NumberOfOrders	1
28	Side	1 (Offer)
30	PriceLevel	2
31	UpdateAction	1
32	Filler	NULL
36	AggregateQuantity	300
44	Price	9850
48	NumberOfOrders	1
52	Side	1 (Offer)
54	PriceLevel	5
55	UpdateAction	0
56	Filler	NULL

The resulting book should now be as follows:

	В	id Side			Ask Sid	e	
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick
1	1	700	9730	9760	500	1	1
2	2	350	9720	9770	200	2	2
3	3	150	9710	9780	100	3	3
4	4	250	9700	9790	150	4	4
5	5	100	9690				5
6	6	150	9680				6
7	7	50	9670				7
8	8	200	9660				8
9	9	100	9650				9
10				9850	300	5	10

#### Example 2 – Implicit Level Adjustments

The client must adjust the price level of entries below deleted or inserted entries. Potential level adjustments must be carried out after each single entry in Aggregate Order Book message.

For example, if a bid order with price 9740 and quantity 50 is added to the order book above, it will cause the following message to be sent:

Offset	Field Name	Value
0	MsgSize	36
2	MsgType	53
4	SecurityCode	1234
8	Filler	NULL
11	NoEntries	1
12	AggregateQuantity	50
20	Price	9740
24	NumberOfOrders	1
28	Side	0 (Bid)
30	PriceLevel	1
31	UpdateAction	0
32	Filler	NULL

After processing this message, the client's book should look as follows:

	В	id Side			Ask Sid	е	
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick
1	1	50	9740	9760	500	1	1
2	2	700	9730	9770	200	2	2
3	3	350	9720	9780	100	3	3
4	4	150	9710	9790	150	4	4
5	5	250	9700				5
6	6	100	9690				6
7	7	150	9680				7
8	8	50	9670				8
9	9	200	9660				9
10	10	100	9650	9850	300	5	10

Price levels of the other 9 Bid orders must all be incremented although there will not be Aggregate Order Book Update messages sent for the increment.

#### **Example 3 – Implicit Deletions**

If a new book entry causes the bottom entry of a book to be shifted out of the book (i.e. more than 9 spreads away from the best price), the client must delete the excess entry. If the book shrinks again, the server resends the entries that have temporarily fallen out.

For example, if a bid order with price 9750 and quantity 250 is added to the book above, and the bid quantity at price 9660 is reduced from 200 to 150, it will cause the following message to be sent:

Offset	Field Name	Value
0	MsgSize	60
2	MsgType	53

4	SecurityCode	1234
8	Filler	NULL
11	NoEntries	2
12	AggregateQuantity	250
20	Price	9750
24	NumberOfOrders	1
28	Side	0 (Bid)
30	PriceLevel	1
31	UpdateAction	0
32	Filler	NULL
36	AggregateQuantity	150
44	Price	9660
48	NumberOfOrders	1
52	Side	0 (Bid)
54	PriceLevel	10
55	UpdateAction	1
56	Filler	NULL

After processing this message, the client's book should look as follows:

	В	id Side			Ask Sid	е	
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick
1	1	250	9750	9760	500	1	1
2	2	50	9740	9770	200	2	2
3	3	700	9730	9780	100	3	3
4	4	350	9720	9790	150	4	4
5	5	150	9710				5
6	6	250	9700				6
7	7	100	9690				7
8	8	150	9680				8
9	9	50	9670				9
10	10	150	9660	9850	300	5	10

Price 9750 and quantity 250 is added according to the message.

Price 9650 and quantity 100 must be deleted by the client.

Price 9660 quantity must be reduced to 150 – PriceLevel 10 is used in the incoming message to reflect the new price level of the price 9660 after the addition of the price 9750.

#### Example 4 – Explicit Additions

If a match causes an order to be removed so that there are now less than 10 levels visible then the server will also automatically send the additional level(s) that are now revealed.

For example, if the bid order with price 9750 and quantity 250 is now removed from the book above and this reveals an 11<sup>th</sup> level which needs to be disseminated then it will cause the following message to be sent:

Offset	Field Name	Value
0	MsgSize	60
2	MsgType	53
4	SecurityCode	1234
8	Filler	NULL

11	NoEntries	2	
12	AggregateQuantity	250	
20	Price	9750	
24	NumberOfOrders	1	
28	Side	0 (Bid)	
30	PriceLevel	1	
31	UpdateAction	2	
32	Filler	NULL	
36	AggregateQuantity	100	
44	Price	9650	
48	NumberOfOrders	1	
52	Side	0 (Bid)	
54	PriceLevel	10	
55	UpdateAction	0	
56	Filler	NULL	

The resulting order book should now be;

	Bid Side				Ask Side			
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick	
1	1	50	9740	9760	500	1	1	
2	2	700	9730	9770	200	2	2	
3	3	350	9720	9780	100	3	3	
4	4	150	9710	9790	150	4	4	
5	5	250	9700				5	
6	6	100	9690				6	
7	7	150	9680				7	
8	8	50	9670				8	
9	9	200	9660				9	
10	10	100	9650	9850	300	5	10	

#### Example 5 – Explicit Deletions

Suppose a new book entry causes the last tick entry (Tick 10 in the previous order book in Example 4) to be shifted out of the book, if the shifted out entry is within 10 price level, OMD will send an explicit deletion for the entry. If the shifted out entry is outside the 10 price level, OMD will not send further updates on that price and the client must delete the excess entry (please refer to Example 3 above for details) to ensure their order book will not keep out-dated information.

For example, if an ask order with price 9750 and quantity 300 is added to the order book above, it will cause the following message to be sent:

Offset	Field Name	Value
0	MsgSize	60
2	MsgType	53
4	SecurityCode	1234
8	Filler	NULL
11	NoEntries	2
12	AggregateQuantity	300
20	Price	9750
24	NumberOfOrders	1
28	Side	1 (Offer)

30	PriceLevel	1
31	UpdateAction	0
32	Filler	NULL
36	AggregateQuantity	300
44	Price	9850
48	NumberOfOrders	1
52	Side	1 (Offer)
54	PriceLevel	6
55	UpdateAction	2
56	Filler	NULL

The resulting order book should now be;

	Bid Side				Ask Sid	le	
Tick	PriceLevel	AggregateQuantity	Price	Price	AggregateQuantity	PriceLevel	Tick
1	1	50	9740	9750	300	1	1
2	2	700	9730	9760	500	2	2
3	3	350	9720	9770	200	3	3
4	4	150	9710	9780	100	4	4
5	5	250	9700	9790	150	5	5
6	6	100	9690				6
7	7	150	9680				7
8	8	50	9670				8
9	9	200	9660				9
10	10	100	9650				10

#### **Explicit Deletions versus Implicit Deletions**

Suppose initially bid orders are queued in 8 price levels in the aggregate order book and assume there is no order inputted at price 9770 & 9740. The aggregate order book will be as follows.

	Bid Side					
Tick	PriceLevel	PriceLevel AggregateQuantity P				
1	1	700	9800			
2	2	350	9790			
3	3	150	9780			
4						
5	4	250	9760			
6	5	100	9750			
7						
8	6	400	9730			
9	7	200	9720			
10	8	300	9710			

When new bid orders at 3 different prices (9860, 9850 & 9840) arrived, the resulting book will be changed as follows:

	В			
Tick	PriceLevel	AggregateQuantity	Price	
1	1	450	9860	← new order, Explicit Addition
2	2	550	9850	← new order, Explicit Addition
3	3	650	9840	← new order, Explicit Addition

4				
5				
6				
7	4	700	9800	← previous best bid, now at PriceLevel 4 (Tick 7), Implicit Level Adjustment
8	5	350	9790	← previous 2 <sup>nd</sup> best bid, now at PriceLevel 5 (Tick 8), Implicit Level Adjustment
9	6	150	9780	← previous 3 <sup>rd</sup> best bid, now at PriceLevel 6 (Tick 9), Implcit Level Adjustment
10				
11	7	250	9760	← orders exceed 10 Tick but within 10 PriceLevel, Explicit Deletion
12	8	100	9750	← orders exceed 10 Tick but within 10 PriceLevel, Explicit Deletion
13				
14	9	400	9730	← orders exceed 10 Tick but within 10 PriceLevel, Explicit Deletion
15	10	200	9720	← orders exceed 10 Tick but within 10 PriceLevel, Explicit Deletion
16	11	300	9710	← orders exceed 10 Tick & exceed 10 PriceLevel, Implicit Deletion

Orders in shaded area which were originally within the 10 tick levels offered in OMD now fall outside the 10 tick levels. OMD will send Explicit Delete for orders which fall outside 10 tick levels but are within 10 price levels (i.e. entries highlighted in blue). However OMD will not send Explicit Delete for orders which are outside 10 price levels (i.e. entries highlighted in pink) and the client must delete the excess entries (i.e. Implicit Delete by the client).

wing message will be sent:					
Offset	Field Name	Value			
0	MsgSize	180			
2	MsgType	53			
4	SecurityCode	1234			
8	Filler	NULL			
11	NoEntries	7			
12	AggregateQuantity	450			
20	Price	9860			
24	NumberOfOrders	1			
28	Side	0 (Bid)			
30	PriceLevel	1			
31	UpdateAction	0			
32	Filler	NULL			
36	AggregateQuantity	550			
44	Price	9850			
48	NumberOfOrders	1			
52	Side	0 (Bid)			
54	PriceLevel	2			
55	UpdateAction	0			
56	Filler	NULL			
60	AggregateQuantity	650			
68	Price	9840			
72	NumberOfOrders	1			
76	Side	0 (Bid)			
78	PriceLevel	3			
79	UpdateAction	0			
80	Filler	NULL			
84	AggregateQuantity	250			
92	Price	9760			
96	NumberOfOrders	1			
100	Side	0 (Bid)			

The following message will be sent:

102	PriceLevel	7	
103	UpdateAction	2	
104	Filler	NULL	
108	AggregateQuantity	100	
116	Price	9750	
120	NumberOfOrders	1	
124	Side	0 (Bid)	
126	PriceLevel	7	
127	UpdateAction	2	
128	Filler	NULL	
132	AggregateQuantity	400	
140	Price	9730	
144	NumberOfOrders	1	
148	Side	0 (Bid)	
150	PriceLevel	7	
151	UpdateAction	2	
152	Filler	NULL	
156	AggregateQuantity	200	
164	Price	9720	
168	NumberOfOrders	1	
172	Side	0 (Bid)	
174	PriceLevel	7	
175	UpdateAction	2	
176	Filler	NULL	

#### Example 6 – Orderbook Clear

In certain failure scenarios the system may send an 'Orderbook Clear' message at which point clients should clear both Bid and Ask side orderbooks for the specified security. An example message is shown below. Following an 'Orderbook Clear' message any existing orders for the security will be resent as normal to rebuild the current image.

Offset	Field Name	Value
0	MsgSize	36
2	MsgType	53
4	SecurityCode	1234
8	Filler	NULL
11	NoEntries	1
12	AggregateQuantity	0
20	Price	0
24	NumberOfOrders	0
28	Side	0
30	PriceLevel	0
31	UpdateAction	74
32	Filler	NULL

### 7. MISSING INDEX REPORT

In a situation that some index data are not published due to OMD Index Feed issue, a missing index report would be delivered to subscribers by email at the end of business day. Report would not be provided in case of the failure from index compliers.

The missing index report contains the missed index data updated from the index source during the interuption as indicated in the report file name. The report is in CSV format and sample file could be downloaded via this link.

#### **Record Fields**

Field	Description	Values
IndexCode	Upstream source's index code or market information identifier	See Index Code in Appendix A for full details
IndexStatus	Index status	<ul> <li>C Closing value</li> <li>Indicative</li> <li>Opening index</li> <li>Last close value (prev. ses.)</li> <li>P reliminary close</li> <li>S Stop loss index</li> <li>T Real-time index value</li> <li>IndexStatus can be blank if not defined by third party index compilers</li> </ul>
IndexTime	Publisher timestamp	The number of nanoseconds elapsed since midnight Coordinated Universal Time (UTC) of January 1, 1970 IndexTime precision is currently provided to the nearest second.
IndexValue	Current value of the index	4 implied decimal places
NetChgPrevDay	Net change of IndexValue from the previous close, as provided in index source	4 implied decimal places
HighValue	Highest value for an index	4 implied decimal places
LowValue	Lowest value for an index	4 implied decimal places
EASValue	Estimated Average Settlement Value	2 implied decimal places
IndexTurnover	Current turnover of underlying constituents	4 implied decimal places
OpeningValue	First value for an index	4 implied decimal places
ClosingValue	Last value for an index	4 implied decimal places
PreviousSesClose	Previous session closing value (previous day's closing value for CSI, CES and S&P, previous session's closing value for HSI and TR)	4 implied decimal places
IndexVolume	Index volume of underlying constituents. Only applicable for CSI and CES	
NetChgPrevDayPct	Percentage change of IndexValue from the previous close, as provided in index source	4 implied decimal places
Exception	Exception indicator	<ul> <li># Index with HSIL defined exceptional rule applied</li> <li>' Normal index (empty string)</li> </ul>

# APPENDIX A - LIST OF INDICES AND MARKET INFORMATION UNDER OMD INDEX

The information supplied in this appendix applies to OMD Index only.

The indices supplied under the OMD Index are described in the table below, as it may be amended from time to time pursuant to clause 2.2 of the Licence Agreement. The mark [•] specifies if an index disseminated under the OMD Index is Third Party Content under the Licence Agreement. Licensee shall refer to clause 10.6 of the Market Data Vendor Licence Agreement and notices issued from time to time for redistribution of Third Party Content.

Index Source	Index Code	Name of the Index and market information disseminated under the OMD Index	Third Party Content under the Licence Agreement	Third Party Index Ownership
С	CES120	CES China 120 Index	•	CES
С	CESA80	CES China A80 Index	•	CES
С	CESCPD	CES CRIC Leading Mainland Property Developer Index	•	CES
С	CESFHY	CES Forecast High Dividend Yield Index	•	CES
С	CESHKM	CES China HK Mainland Index	•	CES
С	CES280	CES China 280 Index	•	CES
С	CESG10	CES Gaming Top 10 Index	•	CES
С	CES300	CES Stock Connect 300 Index	•	CES
С	CES100	CES Stock Connect Hong Kong Select 100 Index	•	CES
С	CESHKB	CES HK Biotechnology Index	٠	CES
С	CESP50	CES Stock Connect Hong Kong Premier 50 Index	•	CES
С	990001	CES China Semiconductor Chips Index	•	CES
С	CSI300	CSI 300 Index	•	CSI
С	000942	CSI China Mainland Consumer Index	•	CSI
С	H11123	CSI HK Mainland Enterprises 50 Index	•	CSI
С	H11100	CSI Hong Kong 100 Index	•	CSI
С	H11140	CSI Hong Kong Dividend Index	•	CSI
С	H11144	CSI Hong Kong Listed Tradable Mainland Consumption Index	•	CSI
С	H11143	CSI Hong Kong Listed Tradable Mainland Real Estate Index	•	CSI
С	H11120	CSI Hong Kong Middle Cap Select Index	•	CSI
С	H11152	CSI Hong Kong Private-owned Mainland Enterprises Index	•	CSI
С	H11153	CSI Hong Kong State-owned Mainland Enterprises Index	•	CSI
С	H11110	CSI RAFI Hong Kong 50 Index	•	CSI
С	000016	SSE 50 Index	•	SSE
С	000021	SSE 180 Governance Index	•	SSE
С	000010	SSE 180 Index	•	SSE
С	000009	SSE 380 Index	•	SSE
С	000066	SSE Commodity Equity Index	•	SSE
С	000001	SSE Composite Index	•	SSE
С	000015	SSE Dividend Index	•	SSE
С	000043	SSE Mega-cap Index	•	SSE
С	000044	SSE Mid Cap Index	•	SSE
С	000065	SSE Industry Top Index	•	SSE

The Index Source and Index Code in the table below include the source and code for market information.

Н	0001500	Hang Seng China Affiliated Corporations Index		HSDS
Н	0001400	Hang Seng China Enterprises Index		HSDS
Н	0000100	Hang Seng Index		HSDS
Н	0000101	HSI Sub Indices – Finance		HSDS
Н	0000102	HSI Sub Indices – Utilities		HSDS
Н	0000103	HSI Sub Indices – Property		HSDS
Н	0000104	HSI Sub Indices – Commerce & Industry	•	HSDS
Н	0105000	HSI Volatility Index (VHSI)	•	HSDS
Н	0200700	Hang Seng Mainland Banks Index	•	HSDS
Н	0200800	Hang Seng Mainland Properties Index	•	HSDS
Н	0201000	Hang Seng Mainland Oil and Gas Index	•	HSDS
Н	0205000	HSI ESG Index	•	HSDS
Н	0205100	HSCEI ESG Index	•	HSDS
Н	0208300	Hang Seng TECH Index	•	HSDS
Н	0215000	HSI ESG Enhanced Index		HSDS
Н	1006800	Hang Seng Index (Gross Total Return Index)		HSDS
Н	1006801	Hang Seng Finance Sub-Index (Gross Total Return Index)		HSDS
Н	1006802	Hang Seng Utilities Sub-Index (Gross Total Return Index)		HSDS
Н	1006803	Hang Seng Properties Sub-Index (Gross Total Return Index)		HSDS
Н	1006804	Hang Seng Index Commerce & Industry Sub-Index (Gross Total Return Index)		HSDS
Н	1007200	Hang Seng China Enterprises Index (Gross Total Return Index)		HSDS
Н	2006800	Hang Seng Index (Net Total Return Index)		HSDS
Н	2006801	Hang Seng Finance Sub-Index (Net Total Return Index)		HSDS
Н	2006802	Hang Seng Utilities Sub-Index (Net Total Return Index)		HSDS
Н	2006803	Hang Seng Properties Sub-Index (Net Total Return Index)		HSDS
Н	2006804	Hang Seng Index Commerce & Industry Sub-Index (Net Total Return Index)		HSDS
Н	2007200	Hang Seng China Enterprises Index (Net Total Return Index)		HSDS
S	SPHKG	S&P/HKEX GEM Index		N/A
S	SPHKL	S&P/HKEX LargeCap Index		N/A

Note 1: For indices with the index source = C, in the event there is service outage in the HKEX primary data center and restart of OMD-C at the secondary data center, real-time dissemination of CSI and CES index data will be suspended until service resumption of the HKEX primary data center.

#### Abbreviation:

CES	=	China Exchanges Services Company Limited
CSI	=	China Securities Index Company Limited
HSDS	=	Hang Seng Data Services Limited
HSI	=	Hang Seng Indexes Company Limited
S&P	=	S&P Dow Jones Indices

# APPENDIX B - REFERENCE PRICE, PRICE BAND FOR ORDER INPUT, INDICATIVE EQUILIBRIUM PRICE AND ORDER **IMBALANCE DURING PRE-OPENING SESSION**

Below chart illustrates messages related to trading session, reference price, price limits, IEP and order imbalance in the pre-opening session. There will be other messages (e.g., order book data, status data, news, etc) to be disseminated in the pre-opening session based on the events.

Timeline	OMD-C Start Trading Session = Not Yet Open		Trading Session change to Order Input		Trading Session change to No Cancellation		Trading Session change to Random Matching		Trading Session change to Order Matching		Trading Session c Blocking	•
Message	ssage Trading Session Status (20)		Trading	Session Status (20)	Trading Ses	 sion Status (20)	Trading Se	ssion Status (20)	 Trading Session S	itatus (20)	Trading Session S	tatus (20)
Key field	TradingSessionSubID	100 (Not Yet Open)	TradingSessionSubID	1 (OI)	TradingSessionSubID	101 (NW)	TradingSessionSubID	108 (RM)	TradingSessionSubID	2 (MA)	TradingSessionSubID	7 (BL)

Manager												
Message		efiniton (11)	-		Refere	ence Price (43)	-				Reference Pr	ice (43)
Key fields	POSElan	"Y" / "N" for POS applicable or not			Reference price	Reference price of all orders in POS period					Reference price	0, reset value
	ProvinusClosinaPrico	Reference price of all orders in POS period			UpperLimit	Upper price limit of at-auction Limit buy order in POS No Cancellation and Random Matching periods					UpperLimit	0, reset value
	POSUpperLimit	Upper price limit of all orders in POS Order Input period, and At- auction Limit sell order in POS No Cancellation and Random Matching periods			LowerLimit	Lower price limit of at-auction Limit sell order in POS No Cancellation and Random Matching periods					LowerLimit	0, reset value
	POSLowerLimit	Lower price limit of all orders in POS Order Input period, and At- auction Limit buy order in POS No Cancellation and Random Matching periods										
Message			Indicativ	e Equilibrium Price (41)	Indicative E	quilibrium Price (41)	Indicative Ed	quilibrium Price (41)	Indicative Equilibriu	um Price (41)		
Kovfielde			Price	Indicative Equilibrium Price	Price	Indicative Equilibrium Price	Price	Indicative Equilibrium Price	Price	0, reset value		
Key fields			AggregateQuantity	Indicative Equilibrium Volume	AggregateQuantity	Indicative Equilibrium Volume	AggregateQuantity	Indicative Equilibrium Volume	AggregateQuantity	0, reset value		

Message	Order Imbalance (56)		Order Imbalance (56)		Order Imbalance (56)		Order Imbalance (56)	
Key field	OrderImbalanceDirection	Imbalance direction when the matchable buy quantity and sell quantity at IEP are not equal	OrderImbalanceDirection	matchable buy quantity and sell quantity at IEP are not equal	OrderImbalanceDirection	Imbalance direction when the matchable buy quantity and sell quantity at IEP are not equal	OrderImbalanceDirection	<space>, rese value</space>
Rey lielu	OrderImbalanceQuantity	Absolute difference between the matchable buy quantity and the sell quantity at IEP	OrderImbalanceQuantity	Absolute difference between the matchable buy quantity and the sell quantity at IEP	OrderImbalanceQuantity	Absolute difference between the matchable buy quantity and the sell quantity at IEP	OrderImbalanceQuantity	0, reset value